

PRODUCT-DETAILS

# **TY234MX-RW**TY234MX FOR RAILWAY



General Information	
Extended Product Type	TY234MX-RW
Product ID	7TAG009050R0005
EAN	5415022260533
Catalog Description	TY234MX FOR RAILWAY
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (220 F) for Railway, Weather and Ultraviolet Resistant, Length of 355.6mm (14.0 Inches), Width of 2.4mm (0.09 Inch), Thickness of 1.0mm (0.039 Inch), Minimum Bundle Diameter 1.5mm (0.06 Inch), Maximum Bundle Diameter 102mm (4 Inches), Tensile Strength Rating of 80 Newtons (18 Pounds)

Ordering	
EAN	5415022260533
UPC	786209801470
Country of Origin	United States (US)
Selling Unit of Measure	each

Dimensions	
Product Net Width	0.09 in
	2.4 mm
Product Net Depth /	14 in
Length	356 mm

TY234MX-RW 2

Container Information	
Package Level 1 Units	1000 piece
Package Level 1 Width	3 in 76 mm
Package Level 1 Height	19 in 483 mm
Package Level 1 Depth / Length	14 in 356 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	9.37 in 238 mm
Package Level 2 Height	19.75 in 502 mm
Package Level 2 Depth / Length	11.5 in 292 mm

# Technical UL/CSA

Flammability According V-2 to UL94

# **Additional Information**

Brand / Label	Ty-Rap
Bundle Diameter	0.06 to 4.02 in
	1.6 to 102 mm
Color	Black
Effective Date	20130927
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	PLASTIC CABLE TIE
Product Type	Railway
Standards	UL E49405
Tensile Strength	18 lb
	80 N
Thickness	0.039 in
	1 mm

# **Certificates and Declarations**

Data Sheet, Technical	TY234MX-RW
Information	
Declaration of	9AKK107492A9841
Conformity - CE	

## Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

TY234MX-RW 3

# Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$ 

