

Product End-of-Life Instructions

Product Range: DuraDrive Spring Return 133 lb.-in. Proportional Actuators

Marketing Model/Name:



Lexium 05
Commercial Reference 2011 08 10.xls

Purpose:

The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

Note :

This product family is in the scope of EU directive 2002/96/EC, Waste Electrical and Electronic Equipment (WEEE). This is a fixed application.

DuraDrive Spring Return 133 lb.-in. Proportional Actuator



Product Size in mm:

H x L x D in mm: **89 x 267x103**

Weight in g:

Between **2600** and **2700**


Operations recommended for the end of life treatment

There are several steps to process the products at the end of life so as to recover components, materials or energy : Reuse → Separation for special treatment → Other dismantling → Shredding.

The components of the products that optimize the recycling performances are listed, identified and located hereunder.

This MS41-7153-SRS contains an electrolytic capacitor which may cause electrical shock during the end of life treatment process.

BEFORE SERVICING, REMOVE ALL POWER, WAIT 15 MINUTES.



Recommendation	Number on drawing	Components	Weight (g)	Comment
Operating hazards	1	Electrolytic Capacitor	40	Electrical shock potential
Reuse	None	None		
Special Treatment	1	Electrolytic Capacitor		
	2	PCBA	19	
	3	Cable Assembly	58	PVC Jacket Insulation
	None	Grease (on gears)	0.001	MSDS Upon Request

Schneider Electric SA
 43-45, boulevard Franklin Roosevelt
 F-92500 Rueil-Malmaison Cedex (France)
 Tel.: +33 (0) 1 41 29 70 00
 www.schneider-electric.com

The version of the Guide used to create the document: End of Life
 Instruction Drafting Guide of Schneider Electric version V2

ENVEOLI120602EN

Publication date : 25/10/2018