




NILOÉ™

NP4100BK/MG/WH, NP4101BK/MG/WH, NP4102BK/MG/WH, NP4103BK/MG/WH,
NP4104BK/MG/WH, NP4105BK/MG/WH, NP4106BK/MG/WH, NP4107BK/MG/WH,
NP4108BK/MG/WH, NP4109BK/MG/WH




	Control	Return Path	Channel 1	Channel FM	Channel VHF	Channel UHF	Channel SAT (IF)
75 Ω	22 kHz 0,6 V	4 - 30 MHz	47 - 68 MHz	87,5 - 108 MHz	120 - 470 MHz	470 - 862 MHz	950 - 2400 MHz
NP4100BK/MG/WH NP4103BK/MG/WH	1,5 dB	1,5 dB					2 dB















NP4102...
NP4104..






	Control	Return Path	Channel 1	Channel FM	Channel VHF	Channel UHF	Channel SAT (IF)
Z							
75 Ω	22 kHz 0,6 V	4 - 30 MHz	47 - 68 MHz	87,5 - 108 MHz	120 - 470 MHz	470 - 862 MHz	950 - 2400 MHz
NP4102BK/MG/WH	1,5 dB	14 dB					
NP4104BK/MG/WH		10 dB					





		Control	Return Path	Channel 1	Channel FM	Channel VHF	Channel UHF	Channel SAT (IF)
Z	—	22 kHz 0,6 V	4 - 30 MHz	47 - 68 MHz	87,5 - 108 MHz	120 - 470 MHz	470 - 862 MHz	950 - 2400 MHz
75 Ω	500 mA	22 kHz 0,6 V	4 - 30 MHz	47 - 68 MHz	87,5 - 108 MHz	120 - 470 MHz	470 - 862 MHz	950 - 2400 MHz
NP4101BK/MG/WH		1,5 dB	1,5 dB					2 dB





		Control 22 kHz 0,6 V	Return Path 4 - 30 MHz	Channel 1 47 - 68 MHz	Channel FM 87,5 - 108 MHz	Channel VHF 120 - 470 MHz	Channel UHF 470 - 862 MHz	Channel SAT (IF) 950 - 2400 MHz
Z = 75 Ω	500 mA							
NP4106BK/MG/WH NP4108BK/MG/WH		1,5 dB	1,5 dB					2 dB
NP4105BK/MG/WH			14 dB					
NP4107BK/MG/WH			10 dB					

