

PRODUCT-DETAILS

UK648N3

UK648N3 Consumer unit, 747 mm x 384 mm x 97 mm, Flush-mounted, 48 SU, IP30, Single



General Information

Extended Product Type	UK648N3
Product ID	2CPX031372R9999
EAN	4011617313724
Catalog Description UK648N3 Consumer unit , 747 mm x 384 mm x 97 mm, Flush-mounted	

Catalog Description

UK648N3 Consumer unit , 747 mm x 384 mm x 97 mm, Flush-mounted, 48 SU, IP30, Single

Long Description

Consumer unit, series UK600, Expansion option: Lateral and bottom, for the internal use, with closed doorframe and door, class of protection II (double insulated), degree of protection IP30, applicable standards: EN 60670-24, IK code 7, Rated operational voltage 400V AC 50/60 Hz, rated current 63 A, Glow wire resistance 850°C, Powder-coated, in RAL 9016, enclosure out of thermoplast, with trim frame and metal door, door out of sheet steel, in RAL 9016, with TIP-in closure, door opening angle 120 degree, door hinge right or left, cable entry on top via cable entry slide part is pre-punched, on bottom via cable entry slide part is pre-punched, on side via pre-punched, rear wall pre-punched, dimensions in mm (H x W x D): 747 x 384 x 97, Shutter frame dimensions in mm (H x W x D): 747 x 384 x 94, 4-rows, Space units 48, Row distance in mm: 125, covers out of Plastic, 90 degree press and turn closure, with N/PE Quick-terminal, cable fastening rail integrated, assembled with device carrier, device support removable

Technical

Standards	DIN 43871
Rated Operational Voltage	Maximum 400 V
Operational Voltage	400 V

Power Loss		Δt = 30K 62 W		
Number of Rows				
Closure Type		- Push Button		
Configuration Type		assembled with device carrie		
Cover Plate Type		Doo		
Enclosure Type		Consumer uni		
Mounting Type		Flush-mounte		
Door Type		Flust-flustration in the state of the state		
Surface Finishing		Powder-coated		
Housing Material		Plastic		
Cover Style		Closed		
DIN Place Units		48		
RAL Number		RAL 9016 - Traffic White		
Color		Traffic white		
Terminal Type		Quick-Termina		
Terriman Type		Quion Terriina		
Environmental				
Degree of Protection		IP30		
Protection Class		Isolated (Class II)		
RoHS Status	Following EU Directive 2011/65/EU and			
RoHS Information		9AKK107992A8137		
REACH Declaration		2CPC100005X0201		
Conflict Minerals Reporting Template (CMRT)		9AKK108468A3363		
Dimensions				
Width in Number of Modular Spacings		12		
Product Net Width		384 mm		
Product Net Height	747 mm			
Product Net Depth / Length		97 mm		
Product Net Weight		5.026 kg		
Built-In Depth (t ₂)		75 mm		
Dimension Diagram		2CPC000001D020 ⁻ 2CPC000002D020 ⁻ 2CPC000007D020 ⁻		
Ordering				
Minimum Order Quantity		1 piece		
Package Level 1 Units Package Level 1 Gross Weight		pack 1 piece 5.227 kg		
© 2023 ABB All rights reserved	2023/00/05	Subject to char		

E-Number (Sweden)	2201242
Certificates and Declarations	
Declaration of Conformity - CE	9AKK107992A8137
Installation	
Instructions and Manuals	2CPC129380M5601
Popular Downloads	
Data Sheet, Technical Information	2CPC000001C0101 2CPC000002C0101
Building Information Modeling – BIM	9AKK107046A7947
Classifications	
ETIM 8	EC000214 - Small distribution board
ETIM 9	EC000214 - Small distribution board
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85381000
eClass	V11.0 : 27142409
Object Classification Code	U

Accessories

UK648N3 4

Identifier	Description	Туре	Quantity	Unit Of Measure
2CPX031434R9999	UZ91P4 Enclosure accessories	UZ91P4	1	piece
2CPX062745R9999	ZK50BT Terminals	ZK50BT	1	piece
2CPX030892R9999	ZK507 Terminals	ZK507	1	piece
2CPX031413R9999	UZT4 Enclosure accessories	UZT4	1	piece
2CPX031412R9999	UZT3 Enclosure accessories	UZT3	1	piece
2CPX031787R9999	UZ641D Enclosure accessories	UZ641D	1	piece
2CPX031405R9999	AP648 Enclosure accessories	AP648	1	piece
2CPX031786R9999	UZ640D Enclosure accessories	UZ640D	1	piece
2CPX061178R9999	ZX29 Interior fitting system	ZX29	1	piece
2CPX061177R9999	ZE225 Customized electrical components	ZE225	1	piece
2CPX031408R9999	UZB2 Enclosure accessories	UZB2	1	piece
2CPX061211R9999	ZE227 Customized electrical components	ZE227	1	piece
2CPX031788R9999	UZ642D Enclosure accessories	UZ642D	1	piece
2CPX031789R9999	UZ643D Enclosure accessories	UZ643D	1	piece
2CPX031427R9999	ZE224 Customized electrical components	ZE224	1	piece
2CPX031409R9999	UZB3 Enclosure accessories	UZB3	1	piece

Categories

Low Voltage Products and Systems \rightarrow Enclosures \rightarrow Consumer Units \rightarrow Consumer Units \rightarrow UK600







