




PRODUCT DATASHEET

SMART WIFI CORNER TABLE Magic RGB Tunable White Silver Remote Control

SMART WIFI TABLE CORNER | Smart and modern Table luminaire for indirect illumination with WiFi technology



Areas of application

- Living areas (living rooms, dining rooms, bedrooms etc.)
- Gaming and Entertainment Areas

Product benefits

- MAGIC RGB Color Control for maximum flexible selection

Product features

- RGB color control



TECHNICAL DATA

Electrical data


Nominal wattage	7.50 W
Nominal voltage	220...240 V
Mains frequency	50...60 Hz
Nominal current	60.000 mA
Inrush current	22 mA
Power factor λ	> 0.5
Total harmonic distortion	< 130 %
Protection class	II

Photometrical data

Luminous flux	500 lm
Total luminous flux of contained light sources	580
Luminous efficacy	67 lm/W
Color temperature	2700...6500 K
Reference control setting of contained light source (Kelvin)	2700 K
Light color (designation)	Tunable White / Red / Green / Blue
Color rendering index Ra	> 80
Standard deviation of color matching	< 6 sdcm
Photobiological safety group acc. to EN62778	RG1
Photobiological safety group acc. to EN62471	RG1
Beam angle	120 °

Dimensions & Weight

Length	129.00 mm
Width	129.00 mm
Height	425.00 mm
Product weight	490.00 g



SMART WIFI CORNER TABLE
MGC RGBTWSI

Materials & Colors

Product color	Silver
Housing color	Silver
Body material	Aluminum
Glow Wire Test according to IEC 60695-2-12	650 °C

Application & Mounting

Ambient temperature range	-20...+40 °C
Temperature range at storage	-20...+80 °C
Type of connection	Plug type C (EU)
Type of protection	IP20
Dimmable	Yes
Mounting type	Surface
Adjustable	No
With light source	Yes

Lifespan

Lifespan L70/B50 at 25 °C	30000 h
Number of switching cycles	10000

BATTERY

Type of Battery	Li metal button cell battery
Battery size [GMS]	CR2025
Nominal voltage of battery	3 V

Certificates & Standards

Standards	CE
Replaceable light source (EPREL)	Not replaceable

Safety advice

- To reduce the risk of strangulation the flexible wiring connected to this luminaire shall be effectively fixed to the wall if the wiring is within arm's reach.
- Battery Warning: Keep out of reach for children. Swallowing can lead to chemical burns, perforation of soft tissue, and death. Severe burns can occur within 2 hours of ingestion. Seek medical attention immediately.
- If the battery compartment (if applicable) does not close securely, stop using the product and keep it away from children. If you think batteries might have been swallowed or placed inside any part of the body, seek immediate medical attention.
- Please avoid: Maximal ambient temperature: +35 °C. Replacement of a battery with an incorrect type that can defeat safeguard (for example, in the case of some lithium battery types). Altitude during operation: 2000 m. Disposal of a battery into fire or a hot oven, or mechanically crushing or cutting of a battery, that can result in an explosion.

DOWNLOAD DATA

Documents and certificates	Document name
 User instruction / safety instructions	SMART WIFI CORNER TABLE AND FLOOR
 Declarations of conformity	CE declaration Smart CORNER TABLE RGBTW

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854370618	Folding box 1	92 mm x 92 mm x 438 mm	592.00 g	3.71 dm ³
4099854370625	Shipping box 4	454 mm x 200 mm x 209 mm	2806.00 g	18.98 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.