

PRODUCT DATASHEET

ATTRACTIVE UVA 36W G13 PRT

UVA T8 LAMPS PROTECTED | UVA T8 LAMPS PROTECTED



Areas of application

- Insect traps (BLUE UVA)
- Polymerization of blue-sensitive plastics, adhesives, paints and dyes (BLUE)
- Photocatalytic cleaning

Product benefits

- Low mercury content
- Long lifetime
- High light output
- Robust design

Product features

- Line frequency: 50 | 60 Hz

TECHNICAL DATA

Electrical data

Nominal wattage	36/40 W
Construction wattage	36.00 W
Nominal voltage	220 V
Nominal current	800 mA

Dimensions & Weight

Overall length	589.80 mm
Diameter	26.50 mm
Product weight	78.00 g

Additional product data

Base (standard designation)	G13
Mercury content	3.0 mg

Capabilities

Dimmable	No
----------	----

Certificates & Standards

Photobiological safety group acc. to EN62778	RG1
--	-----

Country-specific categorizations

Order reference	ATR UVA T8 36W PRT
-----------------	--------------------

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	G13
Length	589.80 mm
Height	26.50 mm
Width	26.50 mm

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075682030	Sleeve 1	27 mm x 28 mm x 605 mm	89.00 g	0.46 dm ³
4058075682047	Shipping box 25	625 mm x 145 mm x 150 mm	2419.00 g	13.59 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.