



# CorePro Plastic LEDbulbs



# LEDbulb ND 13-100W A60 E27 840 1CT

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost.

### **Product data**

General Information	
Cap-Base	E27
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Sphere
Light Technical	
Color Code	840 [CCT of 4000K]
Beam Angle (Nom)	180 degree(s)
Luminous Flux	1,521 lm
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	117 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Photobiological safety according to EN 62471	RG0
Operating and Electrical	
Input Frequency	50 to 60 Hz
<del></del>	·

Power Consumption	13 W
Lamp Current (Nom)	105 mA
Wattage Equivalent	100 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.54
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	95 ℃
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Frosted
Bulb Material	Plastic
Bulb Shape	A60
Net Weight (Piece)	0.046 kg


Datasheet, 2025, March 4 data subject to change

# CorePro Plastic LEDbulbs

Approval and Application		
Energy Efficiency Class	E	
Energy Consumption kWh/1000 h	13 kWh	
EPREL Registration Number	397616	
CE mark	Yes	
EU RoHS compliant	Yes	
EyeComfort	Yes	
Flickering value (PstLM) - Flickering value as per 1		
EN 61000-3-3		
Stroboscopic effect visibility measure (SVM)	0.4	
Ambient temperature range	-20 to +45 °C	
Application Conditions		
can it be used in closed luminaires	No	


LEDbulb ND 13-100W A60 E27 840
1CT
LEDbulb ND 13-100W A60 E27 840
1CT
872110305772300
05772300
929002306947
1
8721103057723
12
8721103057730


# Dimensional drawing



Product	D	С
LEDbulb ND 13-100W A60 E27 840 1CT	60 mm	120 mm

### Photometric data






Spectral Power Distribution Colour - LEDbulb ND 13-100W A60 E27 840 1CT

Light Distribution Diagram - LEDbulb ND 13-100W A60 E27 840 1CT

# CorePro Plastic LEDbulbs


### Photometric data




Calculat Platamenta 45 Philips Lighting B.V. Page 1

General uniform lighting - LEDbulb ND 13-100W A60 E27 840 1CT

## Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram - LEDbulb ND 13-100W A60 E27 840 1CT



© 2025 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.