

PRODUCT DATASHEET

Office Line Desk Trapezium GU10 White

Office Line Desk Trapezium | Desk luminaire with flexible arm and GU10 socket



Areas of application

- Living areas
- Tables, Desks
- Home offices

Product benefits

- Sustainable solution thanks to exchangeable light sources
- Inline-switch on the base
- Can be folded and bent to 170° for maximum flexibility
- Swivable luminaire head for individual orientation of light source

Product features

- Desk luminaire in classic design and with GU10 socket



TECHNICAL DATA

Electrical data


| | |
|------------------|---------------|
| Nominal voltage | 220...240 V |
| Mains frequency | 50...60 Hz |
| Protection class | II |
| Operating mode | Mains voltage |

Photometrical data

| | |
|--------------------------------------|----------------------|
| Standard deviation of color matching | < 6 sdc _m |
| Stroboscope effect metric (SVM) | <0.4 |

Dimensions & Weight

| | |
|----------------|-----------|
| Length | 141.90 mm |
| Width | 205.00 mm |
| Height | 365.00 mm |
| Product weight | 720.00 g |
| Cable length | 1600 mm |



OFFICE LINE DESK TRAPEZIUM
GU10

Materials & Colors

| | |
|--|---------------------------------------|
| Product color | White |
| Housing color | White |
| Body material | Acrylonitrile butadiene styrene (ABS) |
| Glow Wire Test according to IEC 60695-2-12 | 650 °C |
| Mercury content | 0.0 mg |

Application & Mounting

| | |
|------------------------------|------------------|
| Temperature range at storage | -20...+80 °C |
| Type of connection | Plug type C (EU) |
| Type of protection | IP20 |
| Dimmable | No |
| Mounting type | Standing |
| Application environment | Indoor |
| Adjustable | Yes |
| With light source | No |
| Holder designation | GU10 |

Certificates & Standards

| | |
|-----------|----------|
| Standards | CE / EAC |
|-----------|----------|

Additional product data

| | |
|-----------------------|---|
| Product remark | Maximum bulb wattage: 9 W / Available from January 2025 |
| Number of illuminants | 1 |




EQUIPMENT / ACCESSORIES

- Equipped with 1.6 m cable and plug

Safety advice

- To reduce the risk of strangulation the flexible wiring connected to this luminaire shall be effectively fixed to the wall if the wiring is within arm's reach.

DOWNLOAD DATA

| | Documents and certificates | Document name |
|--|--|--|
|  | User instruction / safety instructions | OFFICE LINE DESK TRAPEZIUM GU10BK_WT |
|  | Legal information | Legal insert luminaires without light source |
|  | Declarations of conformity | OFFICE LINE DESK TRAPEZIUM |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4058075843042 | Folding box 1 | 162 mm x 162 mm x 293 mm | 862.00 g | 7.69 dm ³ |
| 4058075843059 | Shipping box 8 | 664 mm x 340 mm x 320 mm | 7927.00 g | 72.24 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.