



# MASTER LEDspot LV

## MAS LEDspotLV D 8-50W 830 MR16 24D

Delivering intense accent beam, MASTER LEDspot LV is an ideal retrofit solution for spot lighting. MASTER LEDspot LV is designed to replace halogen or incandescent spots. It realizes natural colors, enables cozy and comfortable ambience for residential, hospitality and emphasizes the beauty of merchandise in retail. New smaller housing provides perfect fitting with majority of luminaires in a market with a MR16 GU 5.3 holder. It not only employs Philips' patented solution to guarantee the broadest possible compatibility with standard 12V halogen electronic transformers, it also delivers high beam intensity which is equivalent to halogen MR16 spots. The dimming function enables to create the desired atmosphere and it works with broad selection of dimmers. Its high SDCM ensure stricter color consistency, that is maintained over product life. MASTER LEDspot LV delivers huge energy savings and minimizes maintenance cost without any compromise on light quality and lifetime, enabling residential and business owners to achieve a return on their investment within short period time.


### Product data

General Information		Operating and Electrical	
Cap-Base	GU5.3 [ GU5.3]	Correlated Color Temperature (Nom)	3000 K
EU RoHS compliant	Yes	Luminous Efficacy (rated) (Nom)	77.00 lm/W
Nominal Lifetime (Nom)	40000 h	Color Consistency	<4
Switching Cycle	50000X	Color Rendering Index (Nom)	80
Technical Type	8-50W	LLMF At End Of Nominal Lifetime (Nom)	70 %
Light Technical		Luminous Flux in 90° Cone (Rated)	621 lm
Color Code	830 [ CCT of 3000K]	Input Frequency	- Hz
Beam Angle (Nom)	24 °	Power (Nom)	8 W
Luminous Flux (Nom)	621 lm	Lamp Current (Nom)	960 mA
Luminous Intensity (Nom)	3250 cd	Wattage Equivalent	50 W
Color Designation	White (WH)	Starting Time (Nom)	0.5 s

# MASTER LEDspot LV


Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.7
Voltage (Nom)	12 V
<b>Temperature</b>	
T-Case Maximum (Nom)	100 °C
<b>Controls and Dimming</b>	
Dimmable	Yes
<b>Mechanical and Housing</b>	
Bulb Shape	MR16 [ 2inch/50mm]
<b>Approval and Application</b>	
Suitable For Accent Lighting	Yes

## Dimensional drawing



MR16 12V 8-50W 621lm 24D 3000K GU5.3 D

## Photometric data




8-50W GU5-3 MR16 24D 830 3000K

8-50W GU5-3 MR16 24D 830 3000K

Energy Consumption kWh/1000 h	9 kWh
<b>Product Data</b>	
Full product code	871869681263100
Order product name	MAS LEDspotLV D 8-50W 830 MR16 24D
EAN/UPC - Product	8718696812631
Order code	929001881402
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001881402
Net Weight (Piece)	0.052 kg

Product	D	C
MAS LEDspotLV D 8-50W 830 MR16 24D	50.5 mm	46.5 mm




8-50W GU5-3 MR16

8-50W GU5-3 MR16


# MASTER LEDspot LV

## Photometric data




8-50W GU5-3 MR16 24D 827 2700K

## Lifetime



7-50W GU5-3 MR16



7-50W GU5-3 MR16

