

Product End-of-Life Instructions

Product Range: TAC Xenta 400 Series I/O Modules

Marketing Model/Name: (List of multiple models if applicable)

All variants of TAC Xenta 411 / 412 / 421A / 422A / 451A / 452A / 471 / 491 / 492

Repeater TAC Xenta TP/FT-10

Purpose:

The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

Note :

This product family is not in the scope of EU directive 2002/96/EC, Waste Electrical and Electronic Equipment (WEEE).



Size in mm:


H x L x D in mm: 110 x 90 x 77

Weight in g: Between 233 and 292

Operations recommended for the end of life treatment

There are several steps to process the products at the end of life so as to recover components, materials or energy :
 Reuse → Separation for special treatment → Other dismantling → Shredding.

The components of the products that optimize the recycling performances are listed, identified and located hereunder.



Recommendation	Number on drawing	Components	Weight (g)	Comment
Special treatment	1	Printed Circuit Boards	41 - 100	
Other dismantling	2	Connectors	39	
Other dismantling	3	Plastic Parts	153	PC-ABS

Schneider Electric SA
 43-45, boulevard Franklin Roosevelt
 F-92500 Rueil-Malmaison Cedex (France)
 Tel.: +33 (0) 1 41 29 70 00
 www.schneider-electric.com

The version of the Guide used to create the document: End of Life Instruction Drafting Guide of Schneider Electric version V3

ENVEOL120907EN

Publication date : 2012-10-18