

PRODUCT-DETAILS

Tina 4A

Tina 4A DYNlink connection accessory



Algemene informatie

Type	Tina 4A
Artikelnummer	2TLA020054R0300
EAN	7350024451856
Omschrijving	Tina 4A DYNlink connection accessory
Omschrijving	<p>Tina 4A is a connection block for series connection of up to four DYNlink devices. Four M12-5 female connectors for the sensors are available on the device. The information signal of each device can be wired separately. The cable used for the connection to the Tina 4A should have a diameter 7 - 12 mm. Unused M12-connectors on Tina 4A must be equipped with Tina 1A blind plugs.</p> <p>The Tina devices adapt the DYNlink safety circuit in Vital, Pluto and B&R X20 to safety components with mechanical contacts, such as E-stops, switches and light beams/curtains with dual outputs.</p> <p>Tina is available in several versions depending on the type of safety component that is connected to the Vital, Pluto or B&R X20 circuit.</p>

Ordering

Minimale bestelhoeveelheid	1 stuk
Nummer douanetarief	85369095
Product hoofdtype	Tina
Productnaam	DYNlink connection accessory
Statusindicator	No

Popular Downloads

Gegevensblad, technische informatie	2TLC010001C0202
Gegevensblad, technische informatie (deel 2)	2TLC010081D0201
Instructies en handleidingen	2TLC172128M0201
CAD Dimensional Drawing	2CDC001079B0201

Dimensions

Product netto diepte	50 mm
Product netto hoogte	45 mm
Product netto breedte	119 mm
Product netto gewicht	0.095 kg

Technical

Kleur	Black
Nominaal stuurvoltage (U _s)	24 V DC
Nominaal bedrijfspoltage	24 V DC
Geschikt voor	Pluto AS-i v2 Pluto A20 v2 Pluto B20 v2 Pluto B22 Pluto B42 AS-i Pluto B46 v2 Pluto D20 Pluto D45 Pluto D45 (Harsh Env) Pluto O2 Pluto S20 v2 Pluto S46 v2 Vital 1 B&R X20
Voedingsspanning	24 V DC

Environmental

Omgevingsluchttemperatuur	Werking -30 ... 70 °C
Beschermingsgraad	IP67
Materiaal	Plastic

Certificates and Declarations

CQC-certificaat	No declaration needed
CSA-certificaat	2TLC172045D0201
Declaration of Conformity - CCC	No declaration needed
Conformiteitsverklaring - CE	2TLC010057D0201
Declaration of Conformity - UKCA	2TLC010197D0201

TÜV-certificaat

2TLC010207D0201

Container Information

Pakketniveau 1 Units	1 stuk
Pakketniveau 1 Breedte	100 mm
Pakketniveau 1 Lengte	170 mm
Pakketniveau 1 Hoogte	0.035 m
Pakketniveau 1 Brutogewicht	0.1 kg
Pakketniveau 1 EAN	7350024451856

Classifications

eClass	V11.0 : 27060313
ETIM 7	EC001584 - I/O device for bus system
ETIM 8	EC001584 - I/O-module bussysteem
ETIM 9	EC003558 - Passieve sensor-/actor verdeler (zonder kabel)
IGCC (IDEA granulaire categoriestandaard)	5219 >> Switch part or accessory
UNSPSC	39122221
Object classificatiecode	T
E-Number (Finland)	2307383
E-Number (Sweden)	3861357

Categorieën

Laagspanningsproducten en -systemen → Control Producten → Veiligheidsproducten → Programmeerbare veiligheidsbesturing toebehoren

Laagspanningsproducten en -systemen → Control Producten → Veiligheidsproducten → Veiligheidsadapters

