


PRODUCT-DETAILS

TR/U.2.1-CG

TR/U.2.1-CG RTC



Informations générales

Extension du type de produit	TR/U.2.1-CG
Code de produit	2CKA006300A1583
EAN	4011395231203
Description courte	TR/U.2.1-CG RTC

Description longue	<p>Ordering possible only in connection with the design ID. The icons and/or texts are configured by means of a web configuration tool. Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. With integrated proximity function. Control element with room thermostat function for controlling TSA/K 230.1, TSA/K 24.1 in connection with KNX-Heating actuator, commercially available valve drives or analogue valve drives (continuous controllers). The controller is a constant room temperature controller for ventilator convectors (fan coils) in 2-pipe and 4-pipe systems and conventional heating or cooling systems. The fan stage can be switched manually or in automatic mode. Class of temperature controller 1 Contribution to space heating energy efficiency 1,0%. With integrated KNX bus coupler. Number of bus subscribers: 1 with separate 24 V auxiliary power supply</p>
--------------------	--

Installation

Instructions et manuels	No document needed
-------------------------	--------------------

Technique

Fiche produit, informations techniques	No document needed
Nombre de LED	1
Maximum Number of Switching Outputs	35
Compatible Bus Systems	KNX (TP)
Product Range	KNX
Design Range	tacteo
Type de montage	Surface Mounted
Finition de surface	Untreated Glossy
Matériau	Glass
Nombre de batteries	0
Application Function	Blind / Shutter / Shading Control Electrical Load and Light Control Room Climate Control

Environnement

Température de l'air ambiant	Operation -5 ... +45 °C
Indice de protection	IP20
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	2CKA200000E5487
REACH Declaration	2CKA309999E9999
Classe de température par défaut	I

Dimensions

Poids net	130.8 g
-----------	---------

Commande

Quantité minimum	1 pièce
Emballage Niveau 1 Unités	carton 1 pièce
Emballage Niveau 1 Poids	0.272 kg
Code douanier	90321020
E-Number (Finland)	2814651
Pays d'origine	Germany (DE)

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	2CKA100000E2552
--------------------------------	-----------------

Classifications

ETIM 8	EC001101 - Room temperature controller for bus system
ETIM 9	EC001101 - Room temperature controller for bus system
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
DEEE B2C / B2B	Business To Consumer
CN8	9032 10 20
eClass	V11.0 : 27143133

Catégories

Produits basse tension → Home and Building Automation → KNX → User Operation → ABB tacteo® → Thermostats

