


# Product End of Life Instructions

## Exiway Dicube Control Unit France







## Potential disassembly risks



## End of Life Instructions



ENVEOLI2302005\_V1 - End of Life Instructions - Exiway Dicube Control Unit France

Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be dismantled	1	PC (Coverage Front)	7	
To be dismantled	2	PC (Coverage Front)	10	
To be dismantled	3	PC (Coverage battery)	15	
To be depolluted	4	PA (Buttonx2)	12	
To be dismantled	5	Steel (Screwsx2)	14	
To be dismantled	6	PC (Base Line controller)	30	
To be dismantled	7	Battery (BATT/NR LI1CR2477 3V1AH C/IM)	10	
To be dismantled	8	Support for Electronic component (Electronic cart)	6	
To be dismantled	9	Support for Electronic component (Electronic cart)	10	
To be depolluted	10	Electronic component (Electronic cart)	2x35	
To be depolluted	11	PC (Body)	70	

## Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name 	Schneider Electric
Product function	Control unit for Emergency Lighting addressable System compliant to EN 60234
Product reference	OVA53198
Additional similar product references	OVA53198 OVA53166
Total representative product mass	250 g
Representative product dimensions	90 x 85 x 69,5 mm
Date of information release	05/2023

## Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
Recyclability potential	<b>77%</b>	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS

Country Customer Care Center  
<http://www.schneider-electric.com/contact>

35, rue Joseph Monier

CS 30323

F- 92500 Rueil Malmaison Cedex

RCS Nanterre 954 503 439

Capital social 896 313 776 €

[www.se.com](http://www.se.com)

Published by Schneider Electric

ENVEOLI2302005\_V1

© 2022 - Schneider Electric – All rights reserved

05/2023