




**NEOLUX**<sup>®</sup>  
GERMAN TECHNOLOGY

## Power Light 100 W 12 V P14.5s

These off-road lighting solutions from NEOLUX turn night into day. Choose from the robust and reliable Power Light, with its powerful light output, the Blue Power Light, with its stylish bluish white light, or the Weather Light, which is optimized for fog, rain or snow. Whether you need the dark spaces ahead to be brightly lit or are facing rough weather conditions, our off-road range has a solution for you.



### Product family benefits

- On most difficult off-road terrains
- Better visibility
- Remarkable illumination
- More light enables drivers to see farther and thereby allows greater reaction time
- Reliable manufacturer

### Product family features

- High performance off-road lamp
- More light output
- More power
- More brightness
- Rugged and versatile

### Areas of application

- Headlight
- Forestry, agriculture and the construction industry for off-road area



**Product information**

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

**Electrical data**

Power input	93 W
Test voltage	13.2 V
Nominal wattage	100.00 W
Nominal voltage	12.0 V

**Photometrical data**

Color temperature	3200 K
Luminous flux	2600 lm
Luminous flux tolerance	±10 %

**Dimensions & weight**

Product weight	6.30 g
Length	67.5 mm
Diameter	9 mm

**Lifespan**

Lifespan Tc	150 h
Lifespan B3	50 h

**Additional product data**

Base (standard designation)	P14.5s
-----------------------------	--------

**Capabilities**

Technology	Halogen lamp
------------	--------------

**Certificates & standards**

ECE category	H1 base
British standard	481

**Logistical data**


Order reference	N481
-----------------	------

**Environmental information**

Date of Declaration	19-01-2022
Primary Article Identifier	4006584052127   4008321760319   4052899995758
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

**Packaging Information**

Packaging description	EAN	Packaging type	Amount of article
NEOLUX N481	4008321760319	Folding box	1



**Legal advice**

These products do not have ECE approval. This means they must not be used on public roads in any exterior application. Use on public roads leads to cancellation of operating license and loss of insurance coverage. Several countries do not allow sale and use of these products. Please contact your local distributor for information on the availability in your country.

**NEOLUX**<sup>®</sup>  
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting  
OSRAM GmbH

Marcel-Breuer-Str 6  
80807 Munich, Germany

Phone +49 89 6213-0  
Fax +49 89 6213-2020

[www.neolux-lighting.com](http://www.neolux-lighting.com)