


Product End of Life Instructions


PM5580, PANEL MOUNT, LVDC AUX



Potential disassembly risks



End of Life Instructions



| Recommendation | Number on drawing | Component / Material | Weight (in g) | Comment |
|------------------|-------------------|--|---------------|---------|
| To be depolluted | MFR16360 | Electronic Board (Power) > 10cm ² | 65.23 | 1 |
| To be depolluted | MFR16360 | Electronic Board (Communication) > 10cm ² | 65.23 | 1 |
| To be dismantled | HRB14031 | METER RETAINER ASSEMBLY, PM5XXX | 8.225 | 4 |
| To be dismantled | C10003270 | 63230-401-05 FRONT BEZEL, PM5XXX | 25.72 | 5 |



Product description

| | |
|--|--|
| Manufacturer identification | Schneider Electric Industries SAS |
| Brand name | Schneider Electric |
| Product function | The main function of the PowerLogic PM5580 Panel-mount CI0.2 Power Meter is for measurement of 3-phase energy (import & export), Power (active, reactive, apparent), Voltage and Current, THD, Frequency, PF and other power measurement and quality parameters on its large 128x128 pixels LCD & intuitive navigation with 4 soft-buttons, while running on 20 to 60 V-DC control power. The product has Ethernet and Serial communication modes, and on-board data logging capabilities. |
| Product reference | METSEPM5580 |
| Additional similar product references | METSEPM5580 METSEPM5570 |
| Total representative product mass | 330 g |
| Representative product dimensions | 96mm x 96mm x 72mm |
| Accessories | Retainer Clips |
| Date of information release | 01/2020 |



Additional information

| | | |
|---|--|---|
| Legal information | This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product. | |
| In case of special transportation: transportation method | No | |
| Recyclability potential | 11% | Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME). |

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.schneider-electric.com/contact>

35, rue Joseph Monier

CS 30323

F- 92506 Rueil Malmaison Cedex

RCS Nanterre 954 503 439

Capital social 896 313 776 €

www.schneider-electric.com

Published by Schneider Electric

ENVEOLI1909005_V1

© 2019 - Schneider Electric – All rights reserved

01/2020