

PRODUCT-DETAILS

4513216952

EVA-DOW-22/DALI



General Information

Extended Product Type	4513216952
Product ID	7TCA091180R0301
EAN	8713812769486
Catalog Description	EVA-DOW-22/DALI
Long Description	Self-contained 2 watt, aluminium maintained surface wall mount 22 meter led luminaire including DALI control module, series Evago, including the pictogram PP 220/51

Technical

Application	Architectural
Function	Escape route signage
Rated Voltage (U_r)	220 ... 240 V
Input Voltage Type	AC
Power Supply Type	Peripheral (Individual Battery)
Number of Poles	8
Number of Lamps	1
Number of Lighting Heads	1
Functional Testing Capability	Safety Module for Monitoring (Central Fedded System)

Wiring Configuration	Wiring system: Continuous circuit/emergency circuit Type of wiring: Suitable for through wiring
Ballast Type	Current Controlled
Connection Type	Screw
Lamp Type	LED not exchangeable
Marking Type	InsertSheet Plate
Mounting Type	Wall surface mounted
Type of Indicator	Single-sided
Cover Material	Plastic, Transparent
Housing Material	Aluminium
Communication	DALI
Housing Color	Aluminium
Battery Chemical Composition	Nickel-Metal Hydride
Battery Type	Industrial
Battery Weight	50 g
Number of Batteries	2
	5000-5000 K

Environmental

Ambient Temperature	5 ... 35 °C
Degree of Protection	IP40
Protection Class	Isolated (Class II)

Dimensions

Product Net Width	58 mm
Product Net Height	139 mm
Product Net Depth / Length	235 mm
Product Net Weight	2.370375 lb 1.075 kg

Ordering

Minimum Order Quantity	1 EA
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	1.07 kg
UPC	075114351980

Certificates and Declarations

Declaration of Conformity - CE	7TKK001173
-----------------------------------	------------

Installation

Instructions and Manuals

9AKK107992A4815

Popular Downloads

Data Sheet, Technical
Information

9AKK108466A0203

Classifications

ETIM 8	EC001957 - Emergency luminaire
ETIM 9	EC001957 - Emergency luminaire
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	9405409100
UNSPSC	39111709
eClass	V11.0 : 27110305
IDEA Granular Category Code (IGCC)	3940 >> Emergency light unit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Emergency Lighting

