

# PRODUCT DATASHEET

## TRUSYS FLEX L01-NODE 8P WT

TruSys® FLEX L-NODE | L-shaped rail connector for corners



---

### Product benefits

- Simple installation

---

### Product features

- Through-wired with 5- or 8-core cable
- A node connector consists of at least one feeder and one exiter with through-wiring
- Steel-sheet housing




## TECHNICAL DATA

### Electrical data

Protection class	I
------------------	---

### Dimensions & Weight

Length	446 mm
Width	296 mm
Height	59 mm
Product weight	1100.00 g



TRUSYS FLEX L01-NODE

### Materials & Colors

Product color	White
Body material	Steel


### Application & Mounting


Mounting location	Ceiling
-------------------	---------

### Certificates & Standards


Standards	CE / CB / UKCA / ENEC / EAC
-----------	-----------------------------

## DOWNLOAD DATA

Documents and certificates	Document name
 Declarations of conformity	TRUSYS FLEX NODE 8P

Documents and certificates		Document name
	Declarations of conformity UKCA	TRUSYS FLEX NODE 8P

---

Tender texts		Document name
	Tender documents	TruSys FLEX L NODE L01 NODE 8P WT-EN

**LOGISTICAL DATA**

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075782099	Shipping box 2	588 mm x 328 mm x 95 mm	2889.00 g	18.32 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

**DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.