

PRODUCT-DETAILS

CR-M2LS

CR-M2LS Logical socket for 2c/o CR-M relay



General Information

Extended Product Type	CR-M2LS
Product ID	1SVR405651R1100
EAN	4013614528620
Catalog Description	CR-M2LS Logical socket for 2c/o CR-M relay
Long Description	The CR-M2LS socket is from the CR-M (miniature) relay range. The logical socket is suitable for CR-M relays with 2 c/o (SPDT) output contacts. The socket has screw connection terminals. Pluggable function modules, holder and marker are available as accessories.

Ordering

EAN	4013614528620
Minimum Order Quantity	10 piece
Customs Tariff Number	85366990

Popular Downloads

Data Sheet, Technical Information	2CDC110004C0210_05
Instructions and Manuals	1SVC405650M9000
CAD Dimensional Drawing	2CDC001079B0201

Dimensions

Product Net Width	27 mm
Product Net Height	61 mm
Product Net Depth / Length	82 mm
Product Net Weight	0.055 kg

Technical

Function	Accessory for interface relays CR-M
Sub-Function	Socket for miniature relays
Sub-Function 2	Logical socket for miniature relay 2 c/o
Rated Operational Voltage	250 V
Output	none
Terminal Type	Screw Terminals
Rated Operational Current AC-12 (I _θ)	(230 V) 7 A
Rated Insulation Voltage (U _i)	3 V
Mounting Position	1
Standards	CAN/CSA C22.2 No.14 IEC/EN 63000 IEC/EN 61984 UL 508

Technical UL/CSA

Connecting Capacity Main Circuit UL/CSA	Flexible with Ferrule 2x 20-16 AWG Rigid 2x 20-14 AWG Stranded 2 x 20-14 AWG
Flammability According to UL94	V-0

Environmental

Ambient Air Temperature	Operation -40 ... +70 °C Storage -40 ... +70 °C
Maximum Operating Altitude Permissible	2000 m
RoHS Status	Following EU Directive 2011/65/EU

Certificates and Declarations

CSA Certificate	CSA_262671_2785566
cURus Certificate	cURus508_E244328
Declaration of Conformity - CE	1SVD982020-0001
Declaration of Conformity - UKCA	1SVD982020-1000
EAC Certificate	EAC_RU_C-DE.ME77.B.00446-19

Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	141 mm
Package Level 1 Depth / Length	78 mm
Package Level 1 Height	95 mm
Package Level 1 Gross Weight	0.552 kg

Package Level 1 EAN

4013614373756

Classifications

Object Classification Code	K
ETIM 7	EC001456 - Relay socket
ETIM 8	EC001456 - Relay socket
ETIM 9	EC001456 - Relay socket
eClass	V11.0 : 27371603
UNSPSC	39122335
E-Number (Finland)	2712712
E-Number (Sweden)	4005371

Categories

Low Voltage Products and Systems → Control Products → Electronic Relays and Controls → Interface Relays and Optocouplers

