



Corepro Glass High Lumen bulbs

CorePro LEDBulbND 200W E27 A95 865 FR G


Featuring a classic heritage design, these filament CorePro LED bulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long-lasting LED technology. A very easy choice for people who are looking for a retrofit LED replacement, these high lumen LED bulbs provide 90% energy savings compared with conventional light bulbs. CorePro LED High Lumen bulbs provide excellent quality of light. Energy-saving LED lighting that offers a lifetime of 15,000 hours to reduce maintenance costs.

Product data

General Information		Photobiological safety according to EN 62471	
Cap-Base	E27	RG1	
Nominal lifetime	15,000 hour(s)	Operating and Electrical	
Switching Cycle	20,000	Line Frequency	50 to 60 Hz
Lighting Technology	LED	Input Frequency	50 to 60 Hz
Flux measurement reference	Sphere	Power Consumption	23 W
Light Technical		Lamp Current (Nom)	200 mA
Color Code	865 [CCT of 6500K]	Wattage Equivalent	200 W
Beam Angle (Nom)	300 degree(s)	Starting Time (Nom)	0.5 s
Luminous Flux	3,452 lm	Warm-up time to 60% light	0.5 s
Color Designation	Cool Daylight	Power Factor (Fraction)	0.51
Correlated Color Temperature (Nom)	6500 K	Voltage (Nom)	220-240 V
Luminous Efficacy (rated) (Nom)	150.00 lm/W	Temperature	
Color Consistency	<6	T-Case Maximum (Nom)	55 °C
Color rendering index (CRI)	80		
LLMF At End Of Nominal Lifetime (Nom)	70 %		


Corepro Glass High Lumen bulbs

Photometric data




Spectral Power Distribution Colour - CorePro LEDBulbND 200W E27 A95 865 FR G

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram - CorePro LEDBulbND 200W E27 A95 865 FR G

