

PRODUCT DATASHEET

TRUSYS FLEX L02-NODE 5P WT

TruSys® FLEX L-NODE | L-shaped rail connector for corners



PERFOR-
MANCE
CLASS

Product benefits

- Simple installation

Product features

- Through-wired with 5- or 8-core cable
- A node connector consists of at least one feeder and one exiter with through-wiring
- Steel-sheet housing




TECHNICAL DATA

Electrical data

Protection class	I
------------------	---

Dimensions & Weight

Length	446 mm
Width	296 mm
Height	59 mm
Product weight	1000.00 g



TRUSYS FLEX L02-NODE

Materials & Colors

Product color	White
Body material	Steel


Application & Mounting


Mounting location	Ceiling
-------------------	---------


Certificates & Standards

Standards	CE / CB / UKCA / ENEC / EAC
-----------	-----------------------------

DOWNLOAD DATA

Documents and certificates	Document name
 Declarations of conformity	TRUSYS FLEX NODE 5P

Documents and certificates		Document name
	Declarations of conformity UKCA	TRUSYS FLEX NODE 5P

Tender texts		Document name
	Tender documents	TruSys FLEX L NODE L02 NODE 5P WT-EN

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075782082	Shipping box 2	588 mm x 328 mm x 95 mm	2689.00 g	18.32 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.