

PRODUCT DATASHEET

ATTRACTIVE UVA T8 15W G13

UVA T8 LAMPS | UVA T8 LAMPS



Areas of application

- Insect traps (BLUE UVA)
- Polymerization of blue-sensitive plastics, adhesives, paints and dyes (BLUE)
- Photocatalytic cleaning

Product benefits

- Low mercury content
- Long lifetime
- High light output

Product features

- Line frequency: 50 | 60 Hz

TECHNICAL DATA

Electrical data

Nominal wattage	15 W
Construction wattage	15.00 W
Nominal voltage	127/220 V
Nominal current	310 mA

Dimensions & Weight

Overall length	437.40 mm
Diameter	26.50 mm
Product weight	67.00 g

Additional product data

Base (standard designation)	G13
Mercury content	3.0 mg

Capabilities

Dimmable	No
----------	----

Certificates & Standards

Photobiological safety group acc. to EN62778	RG1
--	-----

Country-specific categorizations

Order reference	ATR UVA T8 15W
-----------------	----------------

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	G13
Length	437.40 mm
Height	26.50 mm
Width	26.50 mm

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075682054	Sleeve 1	27 mm x 28 mm x 453 mm	76.00 g	0.34 dm ³
4058075682061	Shipping box 25	474 mm x 150 mm x 155 mm	2233.00 g	11.02 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.