

PRODUCT-DETAILS

SBS/U6.0.1-885

SBS/U6.0.1-885 HVAC-Slave-device,6f. CE, black matt



General Information

| Extended Product Type | SBS/U6.0.1-885 |
|-----------------------|-----------------|
| Product ID | 2CKA006330A0037 |
| EAN | 4011395298718 |
| | |

Catalog Description

SBS/U6.0.1-885 HVAC-Slave-device,6f. CE, black matt

Long Description

Freely configurable multifunction control element. Room temperature control/Controller extension with max. 6gang control With labelling field. Transparent labelling sheet with standard symbols included in delivery. Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. Rocker switch left/right (switching/dimming/blind/value sender/light scenes/fan function). With integrated temperature sensor. With actual value temperature display With display of set-value temperature. The bus can be connected via enclosed terminal block. With integrated KNX bus coupler. Number of bus subscribers: 1

Installation

Instructions and 2CKA000073BB9649 Manuals

Technical

Data Sheet, Technical No document needed Information

SBS/U6.0.1-885

| Number of LEDs | 1 |
|--|--|
| Maximum Number of Switching Outputs | 33 |
| Compatible Bus Systems | KNX (TP) |
| Product Range | KNX |
| Design Range | tenton |
| Mounting Type | Flush Mounted |
| Surface Finishing | Lacquered Matt |
| Material | Thermoplastic |
| RAL Number | RAL 9005 - Jet Black |
| Color | black matt |
| Battery Weight | 0 g |
| Application Function | Blind / Shutter / Shading Control Electrical Load and Light Control Room Climate Control |

| Environmental | |
|------------------------------|-----------------------------------|
| Ambient Air Temperature | Operation -5 +45 °C |
| Degree of Protection | IP20 |
| RoHS Status | Following EU Directive 2011/65/EU |
| RoHS Information | 2CKA200000E7866 |
| REACH Declaration | 2CKA309999E9999 |
| Temperature Class Default | I |

| Dimensions | |
|----------------------------------|----------|
| Product Net Width | 90.1 mm |
| Product Net Height | 117.1 mm |
| Product Net Depth / Length | 44.2 mm |
| Product Net Weight | 122.5 g |
| Built-In Depth (t ₂) | 30.7 mm |

| Minimum Order Quantity Package Level 1 Units Package Level 1 Gross Weight Customs Tariff Number E-Number (Finland) E-Number (Sweden) | |
|--|----------------|
| Package Level 1 Gross Weight Customs Tariff Number E-Number (Finland) | 1 piece |
| Weight Customs Tariff Number E-Number (Finland) | carton 1 piece |
| E-Number (Finland) | 0.292 kg |
| | 90321020 |
| E-Number (Sweden) | 2815693 |
| | 1740047 |
| E-Number (Switzerland) | 405020505 |
| Country of Origin | Germany (DE) |

| Certificates and Declarations | |
|-------------------------------|-----------------|
| Declaration of | 2CKA100000E4118 |
| Conformity - CE | |

SBS/U6.0.1-885

| Classifications | |
|-----------------|--|
| ETIM 8 | EC001101 - Room temperature controller for bus system |
| ETIM 9 | EC001101 - Room temperature controller for bus system |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer |
| CN8 | 9032 10 20 |
| eClass | V11.0 : 27143133 |

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow KNX \rightarrow User\ Operation \rightarrow ABB-Tenton^{\circledcirc} \rightarrow 6$

