



# CorePro Plastic LEDbulbs



## CorePro LEDbulb DIM 8-60W A60 E27 5CCT

The CorePro LED bulb is the perfect bulb for your basic lighting needs. It provides beautiful light and dependable performance you expect from LED at an affordable price. CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings of 80% and provides excellent quality of light. By offering a lifetime of 15,000 hours it reduces maintenance costs.

#### **Product data**

Consultations		
General Information		
Cap-Base	E27	
Nominal lifetime	15,000 hour(s)	
Switching Cycle	50,000	
Lighting Technology	LED	
Flux measurement reference	Sphere	
Light Technical		
Color Code	2700K/3000K/4000K/5000K/6500K	
Beam Angle (Nom)	200 degree(s)	
Luminous Flux	806 lm	
Color Designation	2700K/3000K/4000K/5000K/6500K	
Correlated Color Temperature (Nom)	2700 3000 4000 5000 6500 K	
Luminous Efficacy (rated) (Nom)	100 lm/W	
Color Consistency	<6	
Color rendering index (CRI)	80	
LLMF At End Of Nominal Lifetime (Nom)	70 %	
Photobiological safety according to EN 62471	RG0	

Operating and Electrical	
Input Frequency	50 to 60 Hz
Power Consumption	8 W
Lamp Current (Nom)	40 mA
Wattage Equivalent	60 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.7
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	80 ℃
Controls and Dimming	
Dimmable	Only with specific dimmers
Mechanical and Housing	
Bulb Finish	Frosted
Bulb Material	Plastic


Datasheet, 2025, March 19 data subject to change

# CorePro Plastic LEDbulbs

Bulb Shape	A60
Net Weight (Piece)	0.043 kg
Approval and Application	
Energy Efficiency Class	F
Energy Consumption kWh/1000 h	8 kWh
EPREL Registration Number	2022894
EU RoHS compliant	Yes
EyeComfort	Yes
Flickering value (PstLM) - Flickering value as	1
per EN 61000-3-3	
Stroboscopic effect visibility measure (SVM)	0.4
Ambient temperature range	-20 to +45 °C
Application Conditions	
can it be used in closed luminaires	No


Product Data	
Order product name	CorePro LEDbulb DIM 8-60W A60 E27
	5CCT
Full product name	CorePro LEDbulb DIM 8-60W A60 E27
	5CCT
Full product code	872016935333600
Order code	929003785202
Material Nr. (12NC)	929003785202
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8720169353336
Numerator - Packs per outer box	10
EAN/UPC - Case	8720169353343


## Dimensional drawing




Product	D	С
CorePro LEDbulb DIM 8-60W A60 E27 5CCT	60 mm	115 mm

## Photometric data








General uniform lighting - CorePro LEDbulb DIM 8-60W A60 E27 5CCT


## CorePro Plastic LEDbulbs


#### Photometric data



Spectral Power Distribution Colour - CorePro LEDbulb DIM 8-60W A60 E27 5CCT

#### Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram - CorePro LEDbulb DIM 8-60W A60 E27 5CCT



© 2025 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.