

# Circularity Profile

## SpaceLogic KNX USB Interface






## Potential disassembly risks

The Circularity profile provides information about preparation for re-use and treatment. It identifies the relevant EEE components and materials as well as their location. Safety instructions for product dismantling and depollution are provided into the User manual or maintenance guide.



## End of Life Instructions



| Recommendation    | Number on drawing | Component / Material                                 | Weight (in g) | Comment   |
|-------------------|-------------------|--|---------------|-----------|
| To be dismantled  | 1                 | Plastic parts  | 24            |           |
| Potential hazards | 2                 | Plastic parts  | 4.7           | Shredding |
| To be depolluted  | 3                 | Electronic Board (Communication) > 10cm <sup>2</sup> | 11.5          |           |



## Product description

|                                       |  |
|---------------------------------------|--|
| Manufacturer identification           | Schneider Electric Industries SAS  |
| Brand name                            | Schneider Electric   |
| Product function                      | The KNX USB Interface is a data interface between a PC or laptop and the KNX installation bus. It can be used as a programming interface for ETS® Software and supports KNX long frames. |
| Product reference                     | MTN6502-0101   |
| Additional similar product references | MTN6502-0101   |
| Total representative product mass     | 40 g   |
| Representative product dimensions     | 100mm x 18mm x 66mm  |
| Date of information release           | 03/2020  |



## Additional information

|                         |  |   |
|-------------------------|--|---|
| Legal information       | This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product. |   |
| Recyclability potential | <b>60%</b>   | Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME). |

Schneider Electric Industries SAS

Country Customer Care Center  
<http://www.schneider-electric.com/contact>

35, rue Joseph Monier  
 CS 30323  
 F- 92506 Rueil Malmaison Cedex  
 RCS Nanterre 954 503 439  
 Capital social 896 313 776 €

[www.schneider-electric.com](http://www.schneider-electric.com)

ENVEOLI1911010\_V1-EN

Published by Schneider Electric

© 2019 - Schneider Electric – All rights reserved

03/2020



