

83257106	<b>DATA SHEET</b>
Valid from: 23.03.2020	<b>DYMO® XTL™ MARKING KIT &amp; MARKING TAPE</b>

## DYMO® XTL™ Marking Kit



### General description:

- Cable and component marking
- Indoor and outdoor marking
- DYMO® XTL™ marking kit with industrial label maker XTL™ 300 or XTL™ 500

### Delivery:

DYMO® XTL™ marking kit is delivered in a bag with label marker, marking tape, batteries, charger and quick guide.

### Other product data:

ETIM Classification: EC001288

### Advantages:

- Marking in one bag for both cables and components
- Can be used both for indoor and outdoor marking
- Time-saving features to simplify labelling
- On screen print preview and colour display
- Built-in label application s make getting started easy
- Pre-loaded label templates ensure perfect formatting to save time
- Many different industrial label types available

### Related products:

For the DYMO® XTL™ Marking kit there are many different labels available in the assortment, such as multifunctional vinyl, permanent polyester, shrink tube, laminated cable label and preformatted labels.

### Storage:

Cool and dry in original packaging.

83257106	<b>DATA SHEET</b>
Valid from: 23.03.2020	<b>DYMO® XTL™ MARKING KIT &amp; MARKING TAPE</b>

**Technical data Marking kit with XTL™ 300:**

Printing system XTL 300: Heat transfer  
 Maximum label width: 24mm  
 Label type: DYMO XTL  
 Screen size: 71.12 mm colour  
 Print speed: 23 mm/s  
 Keyboard: QWERTY  
 Resolution: 300 dpi  
 Printable rows: 11  
 Barcodes: Code 128 (Auto), Code 39, code 39 Mod, EAN8,  
 EAN13, UPC-A, Codabar, PDF-417, QR Code  
 Knife: Manual  
 Memory: 41MB  
 PC connection: Yes  
 Software DYMO ID (free of charge, downloadable)  
 Compatibility: Windows 7 and later



**Product data Marking kit XTL™ 300 and accessories:**

Art. no.	Article type	Packaging unit	Unit
83257106	DYMO® XTL Kit 300 24	1	1
<b>Accessories</b>			
83257218	DYMO® XTL 300 AC Adapter EU	1	1
83257219	DYMO® XTL 300 Cutter	1	1
83257220	DYMO® XTL 300/LM 500TS Battery	1	1

**Included in package:**

Label printer DYMO XTL 500  
 Charger, USB cable, Bag with strap  
 Rechargeable lithium-polymer batteries  
 1st 24mm x 7m cassette multi-function vinyl, BK/WH  
 1st 21mm x 39mm laminated cord-/cable marking,  
 BK/WH, 150 labels  
 Quick guide & Card for software download

**Technical data Marking kit with XTL™ 500:**

"Printing system XTL 500: Heat transfer  
 Maximum label width: 54mm  
 Label type: DYMO XTL  
 Screen size: 109.22 mm colour  
 Print speed: 28 mm/s  
 Keyboard: QWERTY  
 Resolution: 300 dpi  
 Printable rows: 24  
 Barcodes: Code 128 (Auto), Code 39, code 39 Mod,  
 EAN8, EAN13, UPC-A, Codabar, PDF-417, QR Code  
 Knife: Automatic  
 Memory: 41MB  
 PC connection: Yes  
 Software: DYMO ID (free of charge, downloadable)  
 Compatibility: Windows 7 and later



**Product data Marking kit XTL™ 500:**

**Included in package:**

Label printer DYMO XTL 500  
 Charger and USB cable  
 Rechargeable lithium-polymer batteries  
 1st 54mm x 7m cassette multi-function vinyl, BK/WH  
 1st 38mm x 39mm laminated cord-/cable marking,  
 black/white, 150 labels  
 Quick guide & Card for software download

83257106	<b>DATA SHEET</b>
Valid from: 23.03.2020	<b>DYMO® XTL™ MARKING KIT &amp; MARKING TAPE</b>

Art. no.	Article type	Packaging unit	Unit
83257107	DYMO® XTL Kit 500 54	1	1
<b>Accessories</b>			
83257221	DYMO® XTL 500 AC ADAPTER	1	1
83257222	DYMO® XTL 500 Cutter	1	1
83257223	DYMO® XTL 500 Li-14.8V Battery	1	1

### DYMO® XTL™ MARKING TAPE



#### General description:

- Industrial labels for tough environments
- Many different label types available
- Suits DYMO® XTL™ 300 Label printer or DYMO® XTL™ 500

#### Delivery:

DYMO® XTL™ Marking tapes are delivered separately.

#### Other product data:

ETIM Classification: EC001288

#### Advantages:

- Many different industrial label types available
- High resistance towards moisture, UV, chemicals and much more
- Applicable on many different usage areas
- UL969 approval (Standard for Marking and Labelling Systems)

#### Related products:

Suits DYMO® XTL™ 300 Label printer or DYMO® XTL™ 500. Both label printers are available in the assortment as a kit with bag and other accessories.

#### Storage

Cool and dry in original packaging.



Document: DB83257106EN

Version: 02

We reserve all rights according to DIN ISO 16016.  
PD 0019/05\_04.18EN

83257106	<b>DATA SHEET</b>
Valid from: 23.03.2020	<b>DYMO® XTL™ MARKING KIT &amp; MARKING TAPE</b>

## YMO® XTL™ INDUSTRIAL MARKING TAPE

### Advantages industrial marking tape:

- Pre-defined industrial labels for XTL label printers
- Ideal marking for flat surfaces
- Easier printing of label series
- UL recognised as a component to UL969

### Technical data industrial marking tape:

Material: Vinyl

Temperature area: -40°C to +60°C

Mounting surface: Flat and structured

Usage: Indoor and outdoor

Resistance: UV, moisture

UL Approval: UL969, RoHS

### Product data industrial marking tape:

Art. no.	Article type	Colour	Size (mm)	Packaging unit	Unit
83257110	DYMO® XTL Label 12x12WH	White	12x12	250	1
83257111	DYMO® XTL Label 12x25WH	White	12x25	250	1
83257112	DYMO® XTL Label 12x38WH	White	12x38	185	1
83257113	DYMO® XTL Label 25x25WH	White	25x25	250	1
83257114	DYMO® XTL Label 9x25WH	White	9x25	250	1
83257115	DYMO® XTL Label 12x19WH	White	12x19	250	1
83257116	DYMO® XTL Label 19x25WH	White	19x25	250	1
83257117	DYMO® XTL Label 25x51WH	White	25x51	100	1
83257118	DYMO® XTL Label 51x76WH	White	51x76	100	1

## DYMO® XTL™ LAMINATED MARKING TAPE

### Advantages Laminated marking tape:

- Industrial laminated cable wraps
- Pre-sized with laminated overwrap to protect printing area
- Resistance towards chemicals, oil, moisture, abrasion and fading
- UL recognized as a component to UL968

### Technical data Laminated marking tape:

Material: Vinyl

Temperature range: -40°C to +80°C

Mounting surface: round surface

Usage: Indoor

Resistance: UV, oil, moisture, chemicals

UL Approved: UL969, RoHS

### Product data Laminated Marking tape:

Art. no.	Article type	Colour	Size (mm)	Packaging unit	Unit
83257119	DYMO® XTL Label LAM 21x21WH	White	21x21	250	1
83257120	DYMO® XTL Label LAM 21x39WH	White	21x39	150	1
83257121	DYMO® XTL Label LAM 21x102WH	White	21x102	75	1
83257122	DYMO® XTL Label LAM 38x21WH	White	38x21	250	1
83257123	DYMO® XTL Label LAM 38x39WH	White	38x39	150	1
83257124	DYMO® XTL Label LAM 38x102WH	White	38x102	75	1
83257125	DYMO® XTL Label LAM 51x21WH	White	51x21	250	1
83257126	DYMO® XTL Label LAM 51x39WH	White	51x39	100	1
83257127	DYMO® XTL Label LAM 51x102WH	White	51x102	70	1

83257106	<b>DATA SHEET</b>
Valid from: 23.03.2020	<b>DYMO® XTL™ MARKING KIT &amp; MARKING TAPE</b>

## DYMO® XTL™ PRE-FORMATED MARKING TAPE

### Advantages Pre-formatted marking tape:

- Industrial pre-sized safety labels
- Coloured headers included according to OSHA, ANSI och ISO colour standards
- Ideal marking for flat surfaces
- UL recognised as a component to UL969

### Technical data Pre-formatted marking tape:

Material: Vinyl

Temperature range: -40°C till +60°C

Mounting: flat and structured surface

Usage: Indoor and outdoor

Resistance: UV, moisture

UL Approval: UL969, RoHS

Colour standard: OSHA, ANSI, ISO

### Product data Pre-formatted marking tape:

Art. no.	Article type	Colour	Header text	Size (mm)	Packaging unit	Unit
83257128	DYMO® XTL Label 51x102OG&WH	Orange & White	-	51x102	70	1
83257129	DYMO® XTL Label 51x102YE&WH	Yellow & White	-	51x102	70	1
83257130	DYMO® XTL Label 51x102BU&WH	Blue & White	NOTICE	51x102	70	1
83257131	DYMO® XTL Label 51x102RD&WH	Red & White	DANGER	51x102	70	1

## DYMO® XTL™ SHRINK TUBE MARKING

### Advantages Shrink tube marking:

- Industrial shrink tube
- Shrink ratio 3:1 ensures a secure fit on cables
- UL recognized as a component to UL969

### Technical data Shrink tube marking:

Material: Polyolefin

Temperature range: Maximum +125°C

Mounting: round surface

Shrink ratio: 3:1

Usage: Indoor

Resistance: UV, oil, moisture, chemicals

UL Approval: UL224, RoHS

MIL-spec & SAE: MIL-M-8153, MIL-STD-202G, SAE-DTL-230535 (class 1 & 3)

### Product data Shrink tube marking:

Art. no.	Article type	Colour	Size (mm)	Packaging unit	Unit
83257132	DYMO® XTL Heat-Shrink 6x34WH	White	6x34	81	1
83257133	DYMO® XTL Heat-Shrink 12x34WH	White	12x34	65	1
83257134	DYMO® XTL Heat-Shrink 24x34WH	White	24x34	60	1
83257135	DYMO® XTL Heat-Shrink 54x34WH	White	54x34	25	1
83257137	DYMO® XTL Heat-Shrink 12x47WH	White	12x47	65	1
83257138	DYMO® XTL Heat-Shrink 24x47WH	White	24x47	60	1
83257139	DYMO® XTL Heat-Shrink 54x47WH	White	54x47	25	1
Art. no.	Article type	Colour	Size (m)	Packaging unit	Unit
83257214	DYMO® XTL Heat-Shrink 6BK/WH	White	2.7 m	1	1
83257215	DYMO® XTL Heat-Shrink 12BK/WH	White	2.7 m	1	1
83257216	DYMO® XTL Heat-Shrink 24BK/WH	White	2.7 m	1	1

83257106	<b>DATA SHEET</b>
Valid from: 23.03.2020	<b>DYMO® XTL™ MARKING KIT &amp; MARKING TAPE</b>

83257217	DYMO® XTL Heat-Shrink 54BK/WH	White	2.7 m	1	1
----------	-------------------------------	-------	-------	---	---

## DYMO® XTL™ FLAT MARKING TAPE

### Advantages Flat marking tape:

- Industrial label for flat surfaces
- Marking of panels etc.
- Transparent blank surface on label for professional appearance
- UL identified as component to UL969

### Technical data Flat marking tape:

Material: Polyester

Temperature range: -40°C to +60°C

Mounting: flat and structured surfaces

Usage: Indoor and outdoor

Resistance: UV, oil, moisture, chemicals

UL Approval: UL969, RoHS

Colour standard: OSHA, ANSI, ISO

### Product data Flat marking tape:

Art. no.	Article type	Colour	Size (m)	Packaging unit	Unit
83257140	DYMO® XTL Label Flat 6WH	White	9.1	1	1
83257141	DYMO® XTL Label Flat 9WH	White	9.1	1	1
83257142	DYMO® XTL Label Flat 12WH	White	9.1	1	1
83257143	DYMO® XTL Label Flat 6TR	Transparent	9.1	1	1
83257144	DYMO® XTL Label Flat 9TR	Transparent	9.1	1	1
83257145	DYMO® XTL Label Flat 12TR	Transparent	9.1	1	1

## DYMO® XTL™ CABLE MARKING TAPE

### Advantages Cable marking tape:

- Industrial label with flexible cable wraps
- Ideal for marking wires, cables and round surfaces
- Tear proof material
- Resistance towards damage when pulled through tight spaces and conduits
- UL recognized as a component to UL968

### Technical data Cable marking tape:

Material: Nylon

Temperature range: -40°C to +80°C

Mounting: round surface

Usage: Indoor

Resistance: UV, oil, moisture, chemicals

UL Approval: UL969, RoHS

### Product data Cable marking tape:

Art. no.	Article type	Colour	Size (m)	Packaging unit	Unit
----------	--------------	--------	----------	----------------	------

Document: DB83257106EN  
Version: 02

Page 6 of 9

83257106	<b>DATA SHEET</b>
Valid from: 23.03.2020	<b>DYMO® XTL™ MARKING KIT &amp; MARKING TAPE</b>

83257211	DYMO® XTL Cable wrap 12BK/WH	White	5.5	1	1
83257212	DYMO® XTL Cable wrap 19BK/WH	White	5.5	1	1
83257213	DYMO® XTL Cable wrap 24BK/WH	White	5.5	1	1

83257 106	<b>DATA SHEET</b>
Valid from: 23.03.2020	<b>DYMO® XTL™ MARKING KIT &amp; MARKING TAPE</b>

## DYMO® XTL™ Vinyl MARKING TAPE

### Advantages Vinyl marking tape:

- Industrial multi-function vinyl label
- Ideal for indoor and outdoor marking
- Resistance towards moisture, chemical and UV
- Wide range of colours to fit with OSHA, ANSI and ISO colour standards and workplace communication and safety
- UL recognised as a component to UL969

### Technical data Vinyl marking tape:

Material: Vinyl

Temperature range: -40°C to +60°C

Mounting: flat, round and structured surface, flag label

Usage: Indoor and outdoor

Resistance: UV, oil, moisture, chemicals

UL Approval: UL969, RoHS

Colour standard: OSHA, ANSI, ISO

### Product data Vinyl marking tape:

Art. no.	Article type	Colour	Size (m)	Packaging unit	Unit
83257146	DYMO® XTL Label VIN 12BK/TR	Transparent	7	1	1
83257147	DYMO® XTL Label VIN 19BK/TR	Transparent	7	1	1
83257148	DYMO® XTL Label VIN 24BK/TR	Transparent	7	1	1
83257149	DYMO® XTL Label VIN 41BK/TR	Transparent	7	1	1
83257150	DYMO® XTL Label VIN 54BK/TR	Transparent	7	1	1
83257151	DYMO® XTL Label VIN 12RD/TR	Transparent	7	1	1
83257152	DYMO® XTL Label VIN 19RD/TR	Transparent	7	1	1
83257153	DYMO® XTL Label VIN 24RD/TR	Transparent	7	1	1
83257154	DYMO® XTL Label VIN 41RD/TR	Transparent	7	1	1
83257155	DYMO® XTL Label VIN 54RD/TR	Transparent	7	1	1
83257156	DYMO® XTL Label VIN 12BK/WH	White	7	1	1
83257157	DYMO® XTL Label VIN 19BK/WH	White	7	1	1
83257158	DYMO® XTL Label VIN 24BK/WH	White	7	1	1
83257159	DYMO® XTL Label VIN 41BK/WH	White	7	1	1
83257160	DYMO® XTL Label VIN 54BK/WH	White	7	1	1
83257161	DYMO® XTL Label VIN 12RD/WH	White	7	1	1
83257162	DYMO® XTL Label VIN 19RD/WH	White	7	1	1
83257163	DYMO® XTL Label VIN 24RD/WH	White	7	1	1
83257164	DYMO® XTL Label VIN 41RD/WH	White	7	1	1
83257165	DYMO® XTL Label VIN 54RD/WH	White	7	1	1
83257166	DYMO® XTL Label VIN 12WH/RD	Red	7	1	1
83257167	DYMO® XTL Label VIN 19WH/RD	Red	7	1	1
83257168	DYMO® XTL Label VIN 24WH/RD	Red	7	1	1
83257169	DYMO® XTL Label VIN 41WH/RD	Red	7	1	1
83257170	DYMO® XTL Label VIN 54WH/RD	Red	7	1	1
83257171	DYMO® XTL Label VIN 12BK/OG	Orange	7	1	1
83257172	DYMO® XTL Label VIN 19BK/OG	Orange	7	1	1
83257173	DYMO® XTL Label VIN 24BK/OG	Orange	7	1	1
83257174	DYMO® XTL Label VIN 41BK/OG	Orange	7	1	1
83257175	DYMO® XTL Label VIN 54BK/OG	Orange	7	1	1
83257176	DYMO® XTL Label VIN 12BK/YE	Yellow	7	1	1
83257177	DYMO® XTL Label VIN 19BK/YE	Yellow	7	1	1
83257178	DYMO® XTL Label VIN 24BK/YE	Yellow	7	1	1
83257179	DYMO® XTL Label VIN 41BK/YE	Yellow	7	1	1
83257180	DYMO® XTL Label VIN 54BK/YE	Yellow	7	1	1



83257106	<b>DATA SHEET</b>
Valid from: 23.03.2020	<b>DYMO® XTL™ MARKING KIT &amp; MARKING TAPE</b>

**Product data Vinyl marking tape:**

Art. no.	Article type	Colour	Size (m)	Packaging unit	Unit
83257181	DYMO® XTL Label VIN 12WH/BU	Blue	7	1	1
83257182	DYMO® XTL Label VIN 19WH/BU	Blue	7	1	1
83257183	DYMO® XTL Label VIN 24WH/BU	Blue	7	1	1
83257184	DYMO® XTL Label VIN 41WH/BU	Blue	7	1	1
83257185	DYMO® XTL Label VIN 54WH/BU	Blue	7	1	1
83257186	DYMO® XTL Label VIN 12WH/GN	Green	7	1	1
83257187	DYMO® XTL Label VIN 19WH/GN	Green	7	1	1
83257188	DYMO® XTL Label VIN 24WH/GN	Green	7	1	1
83257189	DYMO® XTL Label VIN 41WH/GN	Green	7	1	1
83257190	DYMO® XTL Label VIN 54WH/GN	Green	7	1	1
83257191	DYMO® XTL Label VIN 12WH/BN	Brown	7	1	1
83257192	DYMO® XTL Label VIN 19WH/BN	Brown	7	1	1
83257193	DYMO® XTL Label VIN 24WH/BN	Brown	7	1	1
83257194	DYMO® XTL Label VIN 41WH/BN	Brown	7	1	1
83257195	DYMO® XTL Label VIN 54WH/BN	Brown	7	1	1
83257196	DYMO® XTL Label VIN 12WH/VT	Violet	7	1	1
83257197	DYMO® XTL Label VIN 19WH/VT	Violet	7	1	1
83257198	DYMO® XTL Label VIN 24WH/VT	Violet	7	1	1
83257199	DYMO® XTL Label VIN 41WH/VT	Violet	7	1	1
83257200	DYMO® XTL Label VIN 54WH/VT	Violet	7	1	1
83257201	DYMO® XTL Label VIN 12WH/BK	Black	7	1	1
83257202	DYMO® XTL Label VIN 19WH/BK	Black	7	1	1
83257203	DYMO® XTL Label VIN 24WH/BK	Black	7	1	1
83257204	DYMO® XTL Label VIN 41WH/BK	Black	7	1	1
83257205	DYMO® XTL Label VIN 54WH/BK	Black	7	1	1
83257206	DYMO® XTL Label VIN 12BK/GY	Grey	7	1	1
83257207	DYMO® XTL Label VIN 19BK/GY	Grey	7	1	1
83257208	DYMO® XTL Label VIN 24BK/GY	Grey	7	1	1
83257209	DYMO® XTL Label VIN 41BK/GY	Grey	7	1	1
83257210	DYMO® XTL Label VIN 54BK/GY	Grey	7	1	1

**Foot note:**

Photographs are not to scale and do not represent detailed images of the respective products.