

PRODUCT DATASHEET

SPC.T CL 25 W 230 V E14

SPECIAL T | Incandescent lamps, tubular shape



Areas of application

- Domestic baking ovens

Product features

- Ambient temperature: up to 300 °C




TECHNICAL DATA

Electrical data

Nominal wattage	25 W
Construction wattage	25.00 W
Nominal voltage	230 V

Photometrical data

Luminous flux	140 lm
Luminous efficacy	5 lm/W
Color temperature	2700 K
Color rendering index Ra	100
Light color	1027



349634_HAL_HV_AK

Light technical data

Starting time	0 s
---------------	-----

Dimensions & Weight

Overall length	55.00 mm
Length with base excl. base pins/connection	57.00 mm
Light center length (LCL)	45,0 mm
Diameter	26,0 mm
Product weight	7.6 g

Lifespan

Lifespan L70/B50 at 25 °C	1000 h
---------------------------	--------

Additional product data

Base (standard designation)	E14
Mercury-free	Yes

Capabilities

Dimmable	Yes
----------	-----

Certificates & Standards

Energy efficiency class	G
Energy consumption	25.00 kWh/1000h

Country-specific categorizations

ILCOS	IBT/C-25-230-E14-26
Order reference	SPC.T26/57 CL 2


Energy labelling regulation data acc EU 2019/2015


Lighting technology used	OTHER
Non-directional or directional	NDLS
Mains or non-mains	MLS
Light source cap-type (or other electric interface)	E14
Connected light source (CLS)	No
Color-tuneable light source	No
Envelope	No
High luminance light source	No
Anti-glare shield	No
Correlated colour temperature type	SINGLE_VALUE
Claim of equivalent power	No
Length	55.00 mm
Height	26,0 mm
Width	26,0 mm
Chromaticity coordinate x	0.487
Chromaticity coordinate y	0.416
Beam angle correspondence	SPHERE_360
Displacement factor	1.00
EPREL ID	714463
Model number	AC35307,AC35307,AC35307

Safety advice

- Do not touch the lamp if broken.
- Must not be used if outer bulb is defective.
- Lamp to be used only in a closed luminaire.
- Not designed as a replacement for conventional lighting in private household.

DOWNLOAD DATA

Documents and certificates		Document name
	Declarations of conformity	OVEN 15W 25W E14

Photometric and lighting design files		Document name
	Spectral power distribution	349634_HAL_HV_AK

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
7039210610832	Folding box 2	46 mm x 27 mm x 60 mm	18.20 g	0.07 dm ³
7039215610837	Tray 20	136 mm x 93 mm x 34 mm	200.00 g	0.43 dm ³
4058075308107	Shipping box 20	142 mm x 99 mm x 69 mm	231.00 g	0.97 dm ³
7039211610831	Shipping box 100	310 mm x 145 mm x 110 mm	1343.00 g	4.94 dm ³
4058075308114	Shipping box 240	308 mm x 294 mm x 152 mm	2974.00 g	13.76 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.