



LOWBAY - HIGHBAY - FLOODLIGHTS





	Kg		
	3,2	0,097 m ²	0,029 m ²
	6	0,184 m ²	0,022 m ²
	13,5	0,35 m ²	0,045 m ²






MCB current	10 A	16 A	20 A
Max number of SMART[4] (Type B)			
SMART[4] 1M	12	19	24
SMART[4] 2M	6	9	12
SMART[4] 4M	3	4	6
Max number of SMART[4] (Type C)			
SMART[4] 1M	17	28	35
SMART[4] 2M	8	14	17
SMART[4] 4M	4	7	8
Max number of SMART[4] (Type C)			
SMART[4] 1M	20	32	40
SMART[4] 2M	10	16	20
SMART[4] 4M	5	8	10

LED CCT:	≤ 6500 K		
	RG1:	RG0:	
	Smart[4] 1M / 2M	Smart[4] 1M	Smart[4] 2M
ARRAY	100 cm	400 cm	575 cm
90°	50 cm	450 cm	600 cm
60°	100 cm	500 cm	700 cm






3x16 AWG min. 75°C




1




56260821

2














3





SMART[4] 1M













GWS6922






GWS6926




GWS6923






SMART[4] 2M




500 mm





430-460 mm


GWL1927



GWL1944



156.5




Ø10.5 Ø10.5 Ø10.5 Ø14


240

400


600




SMART[4] 4M










GWL1948






GWL1945











SMART[4] 1M



SMART[4] 2M



SMART[4] 4M



Punto di contatto indicato in adempimento ai fini delle direttive e regolamenti UE applicabili:

Contact details according to the relevant European Directives and Regulations:

GEWISS S.p.A. Via A.Volta, 1 IT-24069 Cenate Sotto (BG) Italy tel: +39 035 946 111 E-mail: qualitymarks@gewiss.com



+39 035 946 111

8.30 - 12.30 / 14.00 - 18.00
lunedì - venerdì - monday - friday



+39 035 946 260



sat@gewiss.com
www.gewiss.com