

Installation Materials Catalogue



Schneider Electric point of sale stands



We are dedicated to helping you sell more!

- Schneider Electric branded stands are available on free loan with a minimum £1,500 stock order per stand.
- Stands should only be used for the display of Schneider Electric branded products and remain the property of Schneider Electric.
- Single sided 1.6m stand dimensions: 1,030mm wide, by 550mm deep, by 1,650mm high.
- Double sided 1.6m gondola stand dimensions: 1,030mm wide, by 1,040mm deep, by 1,650mm high.
- Single sided 2m stand dimensions: 1,030mm wide, by 550mm deep, by 2,000mm high.

For more information, please ask your local Installation Materials sales representative.

Contents



Page 1/4

Cable Clips & Electrical fixings

Cable clips, Wall plugs, Trade tubs, Tapes, PVC sleeving, Connector strips, Chocbox, Grommets, Cable ties, Fixing bands, Cable gland kits, Enclosures, Glands, Cleats, Earth clamps and Pipe accessories



Page 2/22

Foam, adhesives, sealants and fillers

Expanding foam, Gap filling adhesive, Sealants and Fillers



Page 3/26

Site power

Site Lighting, Cable reels, Extension leads, RCDs and Timers



Page 4/30

Power tool accessories

Drill bits, Holesaws and Arbors



Page 5/36

Hand tools

Crimping kits, Cable tacker and staples, Grab damaged screw remover, Co-axial stripper, Fish wire draw tape and Electricians box sinker



Page 6/38

Fixings

Screws, Cavity fixings, Roofing nuts and bolts, Penny washers, Anchors, Masonry nails, Drywall screws and other fixings.



Cable Clips & Electrical Fixings

Thorsman clips premium - TC



Product code	Description	Pack quantity
Round clips		
2001008	TC 2 - 3mm clear, telephone - 2 pair	100 x 10
2011005	TC 3 - 5mm clear, telephone - 4 pair	100 x 10
2011017	TC 3 - 5mm white, telephone - 4 pair	100 x 10
2011021	TC 3 - 5mm grey, telephone - 4 pair	100 x 10
2022009	TC 5 - 7mm clear, 2 core flexible	100 x 10
2022010	TC 5 - 7mm white, 2 core flexible	100 x 10
2022029	TC 5 - 7mm black, 2 core flexible	100 x 10
2032011	TC 7 - 10mm white, 3 core flexible	100 x 10
2032041	TC 7 - 10mm black, co-axial	100 x 10
2032091	TC 7 - 10mm brown, co-axial	100 x 10
2032061	TC 7 - 10mm red, co-axial	100 x 10
2041200	TC 8 - 12mm white, co-axial	100 x 10
2041259	TC 8 - 12mm grey	100 x 10
2042011	TC 10 - 14mm white	100 x 10
2042021	TC 10 - 14mm grey	100 x 10
2042041	TC 10 - 14mm black	100 x 10
2052011	TC 14 - 20mm white	100 x 10
2052051	TC 14 - 20mm black	100 x 10
2060002	TC 18 - 22mm white	50 x 10
2060135	TC 18 - 22mm black	50 x 10
2070209	TC 22 - 26mm white	50 x 10
2070134	TC 22 - 26mm black	50 x 10
Flat clips		
2101004	TC 2 x 4 clear, bell wire	100 x 10
2106003	TC 3 x 5 clear, 2812X	100 x 10
2111003	TC 4 x 6 clear, 3219Y	100 x 10
2111029	TC 4 x 6 grey, 3192Y	100 x 10
2116010	TC 5 x 8 white, 1 and 1.5mm ² T&E	100 x 10
2116028	TC 5 x 8 grey, 1 and 1.5mm ² T&E	100 x 10
2126019	TC 6 x 10 white, 2.5mm ² T&E	100 x 10
2126027	TC 6 x 10 grey, 2.5mm ² T&E	100 x 10
2131019	TC 7 x 14 white, 4 and 6mm ² T&E	100 x 10
2131027	TC 7 x 14 grey, 4 and 6mm ² T&E	100 x 10
2136018	TC 9 x 18 white, 10 and 16mm ² T&E	100 x 10
2136026	TC 9 x 18 grey, 10 and 16mm ² T&E	100 x 10
2137014	TC 11 x 22 white	100 x 10
Double flat clips		
2141026	TCD 5 x 8 grey, 2 x 1 and 1.5mm ² T&E	100 x 10
2146025	TCD 6 x 10 grey, 2 x 2.5mm ² T&E	100 x 10

- For use in wood, compressed board and mortar.
- Flexible design for use with various cable sizes
- Manufactured from impact resistant polypropylene which combines strength and elasticity
- Supplied with a zinc plated hardened steel nail
- Halogen free
- Packed in full colour printed boxes



Thorsman clips standard - TCA



Product code	Description	Pack quantity
Round clips		
2201000A	TCA 3 - 5mm clear, telephone - 4 pair	100 x 10
2201001A	TCA 3 - 5mm white, telephone - 4 pair	100 x 10
2202011A	TCA 5 - 7mm clear, 2 core flexible	100 x 10
2202000A	TCA 5 - 7mm white, 2 core flexible	100 x 10
2202005A	TCA 5 - 7mm black, 2 core flexible	100 x 10
2203000A	TCA 7 - 9mm white, 3 core flexible	100 x 10
2203002A	TCA 7 - 9mm black, co-axial	100 x 10
2203004A	TCA 7 - 9mm brown, co-axial	100 x 10
2203005A	TCA 7 - 9mm red, co-axial	100 x 10
2205000A	TCA 10 - 13mm white	100 x 10
2205002A	TCA 10 - 13mm black	100 x 10
2206000A	TCA 14 - 20mm white	100 x 10
2206002A	TCA 14 - 20mm black	100 x 10
Flat clips		
2210000A	TCA 2 x 4 clear, bell wire	100 x 10
2211000A	TCA 3 x 5 clear, 2812Y	100 x 10
2212000A	TCA 4 x 6 clear, 3192Y	100 x 10
2213000A	TCA 5 x 8 white, 1 and 1.5mm ² T&E	100 x 10
2213001A	TCA 5 x 8 grey, 1 and 1.5mm ² T&E	100 x 10
2214000A	TCA 6 x 10 white, 2.5mm ² T&E	100 x 10
2214001A	TCA 6 x 10 grey, 2.5mm ² T&E	100 x 10
2215000A	TCA 7 x 14 white, 4 and 6mm ² T&E	100 x 10
2215001A	TCA 7 x 14 grey, 4 and 6mm ² T&E	100 x 10

- For use in wood, compressed board and mortar.
- Flexible design for use with various cable sizes
- Manufactured from impact resistant polypropylene which combines strength and elasticity
- Supplied with a zinc plated hardened steel nail
- Packed in plain white boxes

Self adhesive clips



Product code	Description	Pack quantity
Standard clips		
65SA04W	Up to 4mm diameter	25
65SA08W	Up to 8mm diameter	25
65SA12W	Up to 12mm diameter	25
Cable tie carrier		
65CT05B	Maximum width of cable tie 5mm	25
65CT10B	Maximum width of cable tie 10mm	25

- The ideal cable fixing where a nail-in application would be impossible or unacceptable

Tower clips



Product code	Description	Pack quantity
Round clips		
70CWRC275	2.75mm white	100 x 10
70CWRC35	3.5mm white	100 x 10
70CBRC4	4mm black	100 x 10
70CWRC4	4mm white	100 x 10
70CBRC5	5mm black	100 x 10
70CWRC5	5mm white	100 x 10
70CBRC6	6mm black	100 x 10
70CWRC6	6mm white	100 x 10
70CBRC7	7mm black	100 x 10
70CWRC7	7mm white	100 x 10
70CBRC8	8mm black	100 x 10
70CWRC8	8mm white	100 x 10
70CBRC9	9mm black	100 x 10
70CWRC9	9mm white	100 x 10
70CBRC10	10mm black	100 x 10
70CWRC10	10mm white	100 x 10
70CBRC11	11mm black	100 x 10
70CWRC11	11mm white	100 x 10
70CBRC12	12mm black	100 x 10
70CWRC12	12mm white	100 x 10
70CBRC14	14mm black	50 x 10
70CWRC14	14mm white	50 x 10
70CBRC16	16mm black	50 x 10
70CWRC16	16mm white	50 x 10
Flat twin and earth clips		
70CGKF10	1mm ² grey, 6242Y	100 x 100
70CGKF15	1.5mm ² grey, 6242Y	100 x 100
70CGKF25	2.5mm ² grey, 6242Y	100 x 100
70CGKF40	4mm ² grey, 6242Y	100 x 10
70CGKF60	6mm ² grey, 6242Y	100 x 10
70CGKF100	10mm ² grey, 6242Y	100 x 10
70CGKF160	16mm ² grey, 6242Y	100 x 10
Flat three core and earth clips		
70CG3CE	1mm ² and 1.5mm ² grey	100 x 10
Flat double clips		
70CGDKF15	1 / 1.5mm ² grey, 6242Y	100 x 10
70CGDKF25	2.5mm ² grey, 6242Y	100 x 10
Flat parallel twin clips		
70CWPT	Bell wire white	100 x 10
70CWPM	0.50mm ² white, 2812X	100 x 10
70CWSM	0.75mm ² white, 3192Y	100 x 10

- For use in wood, compressed board and mortar.
- Manufactured from polypropylene which combines strength and elasticity
- Supplied with a zinc plated hardened steel nail

Tower clips



Product code	Description	Pack quantity
TV cable and satellite clips		
72CB05P	5 - 6mm black, co-axial cable	100 x 10
72CT05P	5 - 6mm brown, co-axial cable	100 x 10
72CW05P	5 - 6mm white, co-axial cable	100 x 10
72CB06P	6 - 7mm black, co-axial cable	100 x 10
72CT06P	6 - 7mm brown, co-axial cable	100 x 10
72CW06P	6 - 7mm white, co-axial cable	100 x 10
72CB07P	7 - 8mm black, co-axial cable	100 x 10
72CT07P	7 - 8mm brown, co-axial cable	100 x 10
72CW07P	7 - 8mm white, co-axial cable	100 x 10
72CBKF40	4mm T&E black	100 x 10
72CBKF60	6mm T&E black	50 x 10

Tower plus clips



Product code	Description	Pack quantity
Round plus clips		
77CB04P	4 - 5mm black	200 x 10
77CW04P	4 - 5mm white	200 x 10
77CB05P	5 - 6mm black	100 x 10
77CW05P	5 - 6mm white	100 x 10
77CB06P	6 - 7mm black	100 x 10
77CW06P	6 - 7mm white	100 x 10
77CR06P	6 - 7mm red	100 x 10
77CB07P	7 - 8mm black	100 x 10
77CW07P	7 - 8mm white	100 x 10
77CR07P	7 - 8mm red	100 x 10
77CB09P	9 - 11mm black	100 x 10
77CW09P	9 - 11mm white	100 x 10
77CR09P	9 - 11mm red	100 x 10
77CB12PAC	12 - 14mm black	100 x 10
77CW12PAC	12 - 14mm white	100 x 10
77CB15PAC	15 - 18mm black	100 x 10
77CW15P	15 - 18mm white	100 x 10
77CB19P	19 - 24mm black	50 x 10
77CW19P	19 - 24mm white	50 x 10
77CB25P	25 - 28mm black	50 x 10
77CW25P	25 - 28mm white	50 x 10
Flat plus twin and earth clips		
77CGPF1P	1 / 1.5mm ² 6242Y grey	100 x 100
77CGPF25P	2.5mm ² 6242Y grey	100 x 100
77CGPF4P	4 / 6mm ² 6242Y grey	100 x 10
77CGPF10P	10mm ² 6242Y grey	50 x 10

- For use in wood, compressed board and mortar.
- Manufactured from polypropylene which combines strength and elasticity
- Supplied with a zinc plated hardened steel nail
- Plus clip features a return 'hook' that holds cables tightly. Ideal for use in computer and communication installations where cables may vary in size

Pin plug for cable clips



Product code	Description	Pack quantity
55PP1	Grey 20mm (5mm drill)	100

- The pin plug provides the ideal fixing in situations, where the substrate is too hard to take a masonry nail or cable clip
- Drill a 5mm hole and tap in the pin plug

Tower to Thorsman conversion chart

Article No.	Description	Cable Size		Article No.	Description	Cable Size
Tower Round clips				Thorsman Equivalent		
70CWRC 275	White	2.75mm	>	2001 008	TC 2-3 Clear	2.0 - 3.0mm
70CBRC 275	Black	2.75mm				
70CGRC 275	Grey	2.75mm				
70CWRC 35	White	3.5mm				
70CBRC 35	Black	3.5mm	>	2011 017	TC 3-5 White	3.0 - 5.0mm
70CGRC 35	Grey	3.5mm		2011 005	TC 3-5 Clear	
				2011 021	TC 3-5 Grey	
70CWRC 4	White	4.0mm				
70CBRC 4	Black	4.0mm				
70CGRC 4	Grey	4.0mm				
70CWRC 5	White	5.0mm				
70CBRC 5	Black	5.0mm				
70CGRC 5	Grey	5.0mm				
70CWRC 6	White	6.0mm	>	2022 010	TC 5-7 White	5.0 - 7.0mm
70CBRC 6	Black	6.0mm		2022 029	TC 5-7 Black	
70CGRC 6	Grey	6.0mm		2022 039	TC 5-7 Grey	
70CWRC 7	White	7.0mm				
70CBRC 7	Black	7.0mm				
70CGRC 7	Grey	7.0mm				
70CWRC 8	White	8.0mm				
70CBRC 8	Black	8.0mm	>	2032 011	TC 7-10 White	7.0 - 10.0mm
70CGRC 8	Grey	8.0mm		2032 041	TC 7-10 Black	
				2032 021	TC 7-10 Grey	
70CWRC 9	White	9.0mm				
70CBRC 9	Black	9.0mm				
70CGRC 9	Grey	9.0mm				
70CWRC 10	White	10.0mm				
70CBRC 10	Black	10.0mm				
70CGRC 10	Grey	10.0mm				
70CWRC 11	White	11.0mm				
70CBRC 11	Black	11.0mm	>	2041 011	TC 10-14 White	10.0 - 14.0mm
70CGRC 11	Grey	11.0mm		2042 041	TC 10-14 Black	
				2042 021	TC 10-14 Grey	
70CWRC 12	White	12.0mm				
70CBRC 12	Black	12.0mm				
70CGRC 12	Grey	12.0mm				
70CWRC 14	White	14.0mm				
70CBRC 14	Black	14.0mm				
70CGRC 14	Grey	14.0mm				
70CWRC 16	White	16.0mm	>	2052 011	TC 14-20 White	14.0 - 20.0mm
70CBRC 16	Black	16.0mm		2052 051	TC 14-20 Black	
70CGRC 16	Grey	16.0mm		2052 021	TC 14-20 Grey	
Tower Flat clips				Thorsman Equivalent		
70CWPT	White	Bell Wire	>	2101 004	TC 2 x 4 Clear	Bellwire
70CBPT	Black	Bell Wire				
70CWPM	White	0.50mm ²	>	2106 003	TC 3 x 5 Clear	0.50mm ²
70CBPM	Black	0.50mm ²				
70CWSM	White	0.75mm ²	>	2111 003	TC 4 x 6 Clear	0.75mm ²
70CWKF 10	White	1.0mm ²				
70CGKF 10	Grey	1.0mm ²				
70CBKF 10	Black	1.0mm ²				
70CWKF 15	White	1.5mm ²	>	2116 010	TC 5 x 8 White	1.0mm ² & 1.5mm ²
70CGKF 15	Grey	1.5mm ²		2116 028	TC 5 x 8 Grey	
70CBKF 15	Black	1.5mm ²				
70CWKF 25	White	2.5mm ²				
70CGKF 25	Grey	2.5mm ²	>	2126 019	TC 6 x 10 White	2.5mm ²
70CBKF 25	Black	2.5mm ²		2126 027	TC 6 x 10 Grey	
70CWKF 40	White	4.0mm ²				
70CGKF 40	Grey	4.0mm ²				
70CBKF 40	Black	4.0mm ²				
70CWKF 60	White	6.0mm ²	>	2131 019	TC 7 x 14 White	4.0mm ² & 6.0mm ²
70CGKF 60	Grey	6.0mm ²		2131 027	TC 7 x 14 Grey	
70CBKF 60	Black	6.0mm ²				
70CWKF 100	White	10.0mm ²				
70CGKF 100	Grey	10.0mm ²				
70CBKF 100	Black	10.0mm ²				
70CWKF 160	White	16.0mm ²	>	2136 026	TC 9 x 18 White	10.0mm ² & 16.0mm ²
70CGKF 160	Grey	16.0mm ²		2136 026	TC 9 x 18 Grey	
70CBKF 160	Black	16.0mm ²				
Tower 3Core & Earth Clips						
70CW3CE	White	1.0 & 1.5mm ²	>	2126 019	TC 6 x 10 White	1.0 & 1.5mm ²
70CG3CE	Grey	1.0 & 1.5mm ²		2126 027	TC 6 x 10 Grey	
Tower Double Clips						
70CWDKF 15	White	1.0 / 1.5mm ²	>	2141 018	TCD 5 x 8 White	1.0 & 1.5mm ²
70CGDKF 15	Grey	1.0 / 1.5mm ²		2141 026	TCD 5 x 8 Grey	
70CWDKF 25	White	2.5mm ²	>	2146 017	TCD 6 x 10 White	2.5mm ²
70CGDKF 25	Grey	2.5mm ²		2146 025	TCD 6 x 10 Grey	

BS7671 amendment 3 solutions



We also sell a BS7671 amendment 3 consumer unit!
 Speak to your local sales representative to find out more about Easy9+ and Resi9+, or visit our website.

Fire safety clips



Product code	Description	Pack quantity
Fire safety clips		
ISM99930	Small 25/30mm	100
ISM99940	Medium 40mm	50
ISM99950	Large 50mm	50
Stainless steel conduit saddles		
2390405	20mm	100
2390415	25mm	100

- Fire safety clips designed to prevent collapsing of cables in hazardous situations, maintaining clear exit routes
- Tested and approved to meet the requirements of BS7671 amendment 3
- Quick and easy fitting through fold over tabs
- Zinc plated steel with a melting point over 1000°C
- Compatible with 16 x 16mm and 25 x 16mm trunking and 2 core 1.5mm² fire performance cables

Masonry screws



Product code	Description	Pack quantity
Masonry screws		
3703210	4.8 x 32mm	100
3703215	4.8 x 45mm	100

- Compatible with new fire safety clips and stainless steel conduit saddles, to comply with BS7671 amendment 3
- Other masonry screw sizes available on p6/50

Compression grommets



Product code	Description	Pack quantity
Halogen free		
IMT36179	3 - 5mm grey halogen free (12.5mm knock out)	50
IMT36180	5 - 7mm grey halogen free (16mm knock out)	50
IMT37303	7 - 10mm grey halogen free (19mm knock out)	50
IMT37307	10 - 14mm grey halogen free (23mm knock out)	50
IMT37311	14 - 20mm grey halogen free (29mm knock out)	50
IMT37314	20 - 26mm black halogen free (48mm knock out)	25
Fire retardant		
IMT37300	3 - 5mm black fire retardant (12.5mm knock out)	50
IMT37320	5 - 7mm black fire retardant (16mm knock out)	50
IMT37304	7 - 10mm black fire retardant (19mm knock out)	50
IMT37308	10 - 14mm black fire retardant (23mm knock out)	50
IMT37312	14 - 20mm black fire retardant (29mm knock out)	50
IMT37315	20 - 26mm black fire retardant (48mm knock out)	25

- Available in grey halogen free EPDM and black fire retardant chloroprene materials
- Designed to completely seal against dust and water to IP67
- Wide sealing range for each size of product
- Compatible with Easy 9+ to support compliance with BS7671 amendment 3


PVC cable grommets



Product code	Description	Pack quantity
Standard type		
3280210	20mm open	100
3280215	20mm closed	100
3280220	25mm open	50
3280225	25mm closed	50
Quick fit type		
3280010	20mm open	100
3280015	20mm closed	100
3280020	25mm open	50
3280035	25mm closed	50

- Designed to prevent cable chafing through trunking and electrical boxes
- Available in standard and quick fit designs
- Compatible with Easy 9+ to support compliance with BS7671 amendment 3

Low smoke and fume clips & saddles



Product code	Description	Pack quantity
Clips		
64LSF26R	6.5 - 6.9mm diameter red	50
64LSF26W	6.5 - 6.9mm diameter white	50
64LSF28R	7 - 7.4mm diameter red	50
64LSF28W	7 - 7.4mm diameter white	50
64LSF30R	7.5 - 7.9mm diameter red	50
64LSF30W	7.5 - 7.9mm diameter white	50
64LSF32R	8 - 8.4mm diameter red	50
64LSF32W	8 - 8.4mm diameter white	50
64LSF34R	8.5 - 9.2mm diameter red	50
64LSF34W	8.5 - 9.2mm diameter white	50
64LSF37R	9.3 - 10mm diameter red	50
64LSF37W	9.3 - 10mm diameter white	50
64LSF40R	10.1 - 10.7mm diameter red	50
64LSF40W	10.1 - 10.7mm diameter white	50
64LSF43R	10.8 - 11.7mm diameter red	50
64LSF43W	10.8 - 11.7mm diameter white	50
Saddles		
64LSF272R	6.3 - 6.9mm diameter red	50
64LSF272W	6.3 - 6.9mm diameter white	50
64LSF302R	7 - 7.7mm diameter red	50
64LSF342R	7.8 - 9mm diameter red	50
64LSF342W	7.8 - 9mm diameter white	50

- Clips for soft skin fire performance cables
- Copper clips with LSF coating - complies to: BS 476, Part 6, BS 476, Part 7, BS 6853, BS EN 60332, UL 94 vertical burn test

LSF sizing chart

Cable size	One hole 'P' clip		Two hole 'Saddle' clip	
	MICC cable	FP200 cable	MICC cable	FP200 cable
2 core 1mm ²	64LSF26R	64LSF32R	64LSF272R	64LSF302R
	64LSF26W	64LSF32W	64LSF272W	
3 core 1mm ²	64LSF28R	64LSF32R	64LSF302R	64LSF302R
	64LSF28W	64LSF32W		
4 core 1mm ²	64LSF30R	64LSF32R	64LSF342R	64LSF342R
	64LSF30W	64LSF32W	64LSF342W	64LSF342W
2 core 1.5mm ²	64LSF28R	64LSF32R	64LSF302R	64LSF302R
	64LSF28W	64LSF32W		
3 core 1.5mm ²	64LSF30R	64LSF32R	64LSF342R	64LSF342R
	64LSF30W	64LSF32W	64LSF342W	64LSF342W
4 core 1.5mm ²	64LSF34R	64LSF37R	64LSF342R	
	64LSF34W	64LSF37W	64LSF342W	
2 core 2.5mm ²	64LSF32R	64LSF37R	64LSF342R	
	64LSF32W	64LSF37W	64LSF342W	
3 core 2.5mm ²	64LSF34R	64LSF40R	64LSF342R	
	64LSF34W	64LSF40W	64LSF342W	
4 core 2.5mm ²	64LSF37R	64LSF43R	64LSF342R	
	64LSF37W	64LSF43W	64LSF342W	
2 core 4.0mm ²	64LSF37R	64LSF43R		
	64LSF37W	64LSF43W		

- This chart is intended as a guide only. Please check the actual cable dimensions against the clip dimensions to ensure the exact selection. Schneider Electric cannot be accept responsibility for an incorrect selection

Wall plugs and trade tubs

Wall plugs - TP



Product code	Description	Pack quantity
1001007	TP 1 yellow	100 x 10
1003003	TP 2 red	100 x 10
1005008	TP 2B brown	100 x 10
IMT48000	TP 3 blue	100 x 10
IMT48001	TP 4 green	50 x 10

- Red, brown and yellow plugs supplied on a sprue of 10
- Green and blue plugs supplied loose
- Dual expansion giving high load values
- Packed in full colour printed boxes

Wall plugs economy - TPA



Product code	Description	Pack quantity
1090600	TPA 1 yellow	100 x 10
1090605	TPA 2 red	100 x 10
1090720	TPA 2 red bulk	100 x 250
1090610	TPA 2B brown	100 x 10
1090725	TPA 2B brown bulk	100 x 200
1090615	TPA 3 blue	100 x 10

- Supplied loose
- Dual expansion giving high load values
- Packed in plain boxes
- Outer quantities available

Nylon wall plugs - TNP



Product code	Description	Pack quantity
1060030	TNP 6 x 30mm	100
1060040	TNP 7 x 35mm	100
1060050	TNP 8 x 40mm	100
1060060	TNP 10 x 50mm	50
1060070	TNP 12 x 60mm	25
1060080	TNP 14 x 70mm	20

- Suitable for concrete, stone, hollow block brick and plasterboard.
- High load values
- Easy to install

Trade tubs



Product code	Description	Pack quantity
Fixings		
1776015	500 red wall plugs, 500 8 x 1½" twin thread wood screws, 1 masonry bit 6 x 100mm and 1 pozi driver bit no.2 x 50mm	8
1776020	1 masonry bit 7 x 100mm and 1 pozi driver bit no.2 x 50mm	8
1776111	200 metal cavity fixings, 200 screws and 2 pozi driver bits no.2 x 50mm	4
1776200	500 4 x 60mm green decking screws and 2 pozi driver bits no.2 x 50mm	8
Tower clips		
05TUB04	400 1/1.5mm² and 400 2.5mm² flat grey T&E cable clips	8
05TUB05	400 1/1.5mm² and 400 2.5mm² flat grey plus T&E cable clips	8
Thorsman clips		
1776112	400 1/1.5mm² and 400 2.5mm² flat grey T&E cable clips	4

- An excellent range of fixings and clips in a durable, re-sealable plastic tub with a carry handle
- Quality fixings offering superb value

Tapes and PVC sleeving

PVC insulation tape



Product code	Description	Pack quantity
2420100	19mm x 20m red	8
2420101	19mm x 20m yellow	8
2420102	19mm x 20m blue	8
2420103	19mm x 20m black	8
2420104	19mm x 20m white	8
2420105	19mm x 20m yellow / green	8
2420106	19mm x 20m green	8
2420107	19mm x 20m brown	8
2420108	19mm x 20m grey	8
2420110	19mm x 33m red	8
2420111	19mm x 33m yellow	8
2420112	19mm x 33m blue	8
2420113	19mm x 33m black	8
2420114	19mm x 33m white	8
2420115	19mm x 33m yellow / green	8
2420116	19mm x 33m brown	8
2420117	19mm x 33m green	8
2420118	19mm x 33m grey	8
2420300	50mm x 33m red	3
2420301	50mm x 33m yellow	3
2420302	50mm x 33m blue	3
2420303	50mm x 33m black	3
2420304	50mm x 33m white	3

- Manufactured from flame retardant self extinguishing PVC to BS EN 60454
- Suitable for electrical insulation, binding, colour coding and general work
- Available in a range of sizes and colours

PVC insulation tape



Product code	Description	Pack quantity
Self amalgamating tape		
2423000	19mm x 10m	1
2423100	25mm x 10m	1
Gaffer tape		
2424000	50mm x 50m silver	1
2424004	50mm x 50m black	1
Waterproof ducting tape		
2424005	50mm x 50m black	1
Underground warning tape		
25EC365	150mm x 365m yellow	1

- Specialist electrical tapes for extreme weather conditions
- Ducting tape available for general purpose sealing and binding or heating and ventilation uses
- Self amalgamating for protection against corrosion and providing watertight seals
- Gaffer tape, general purpose cloth tape for sealing and protecting
- Underground warning tape message 'caution electric cable below'

PVC sleeving



Product code	Description	Pack quantity
27GY2	Green/yellow 2mm	100m
27GY3	Green/yellow 3mm	100m
27GY4	Green/yellow 4mm	100m
27GY5	Green/yellow 5mm	100m
27GY6	Green/yellow 6mm	100m
27BN3	Brown 3mm	100m
27BN4	Brown 4mm	100m
27BU3	Blue 3mm	100m
27BU4	Blue 4mm	100m

- Sleeving is supplied in non-shrink PVC and is self extinguishing

Cable ties and fixing bands

Cable ties - TCT



Product code	Description	Pack quantity
Natural		
IMT46026	100 x 2.5mm	100
IMT46064	150 x 3.6mm	100
IMT46149	200 x 3.6mm	100
IMT46101	200 x 4.8mm	100
IMT46918	250 x 4.8mm	100
IMT46919	300 x 4.8mm	100
IMT46248	370 x 4.8mm	100
IMT46286	380 x 7.6mm	100
Black		
IMT46033	100 x 2.5mm	100
IMT46071	150 x 3.6mm	100
IMT46156	200 x 3.6mm	100
IMT46118	200 x 4.8mm	100
IMT46968	250 x 4.8mm	100
IMT46969	300 x 4.8mm	100
IMT46970	370 x 4.8mm	100
IMT46293	380 x 7.6mm	100

- Suitable for a wide range of applications including cable harnessing and cable fastening
- Manufactured from either natural or black 6.6 grade nylon
- UV resistant and complies to EN62275

Cable tie plug




Product code	Description	Pack quantity
55CTP640B100	6 x 40mm (6mm drill)	100

- A quick and easy way of fixing pipes or cables by means of a cable tie
- Drill a 6mm hole, hammer in the fixing and insert the cable tie

Connector strips, chocbox and grommets

Connector Strips



Product code	Description	Pack quantity
Brass insert		
3000254	2.5 amp	10 strips
3000270	5 amp	10 strips
3000288	15 amp	10 strips
3000296	30 amp	10 strips
3000938	60 amp	5 strips
Steel insert		
3000410	2.5 amp	10 strips
3000420	5 amp	10 strips
3000430	15 amp	10 strips
3000440	30 amp	10 strips

- The tough yet flexible polypropylene construction allows you snap off the desired amount of connector strips, removing the need for time consuming cutting
- Self extinguishing polypropylene construction eliminates the risk of fire from arcing
- CE approved for use in working temperatures up to 85°C
- Compliant to EN 60998
- Steel insert for general use
- Brass insert for high performance, particularly where corrosion resistance is required

Chocbox



Product code	Description	Pack quantity
CHOCBOXTH	Thorsman chocbox connector box	200
Maximum capacities:		
Connector size	With cordgrip	Without cordgrip
2 amp	8 pole	10 pole
5 amp	6 pole	8 pole
15 amp	4 pole	4 pole
30 amp	3 pole	3 pole

- The revolutionary connector cover that is the solution to protecting and insulating electrical connections
- Chocbox is a connector cover (2 - 30amp), a junction box (fixed wiring) and a conduit box
- Tested to BS EN60598-1 (13.3.2), 850°C glow-wire
- Connector strip not included

Fixing bands



Product code	Description	Pack quantity
Straight edge fixing band - TGB		
2705110	12 x 0.7mm (10m)	1
2705310	20 x 0.7mm (25m)	1
2705320	20 x 1mm (10m)	1
2705420	25 x 2mm (10m)	1
Configuration 8 galvanised fixing band - TAG		
2700610	12 x 0.7mm (10m)	1
2700630	17 x 0.7mm (10m)	1
2700650	26 x 1mm (10m)	1
Straight edge universal fixing band - TUB		
2703015	8 white (10m)	1
2704013	12 white (10m)	1
Configuration 8 plastic coated fixing band - TAP		
2700510	12 x 0.7mm black (10m)	1
2700511	12 x 0.7mm white (10m)	1
2700530	17 x 0.7mm black (10m)	1
Configuration 8 copper fixing band - TAC		
2700710	12 x 0.9mm (10m)	1

- All banding is suitable for suspended installations and anchoring in electrical, building, heating and ventilation installations
- Easy to cut and shape

Cable gland kits

LSF cable gland kits - 2 part



Product code	Description	Pack quantity
LBW20SK	20mm small	1
LBW20K	20mm	1
LBW25K	25mm	1
LBW32K	32mm	1
LBW40K	40mm	1
LBW50K	50mm	1
LBW63K	63mm	1

- Armoured cable gland kit contains clamping collar, gland, mounting nut, earth tag and shroud
- Sizes 20mm S to 32mm contain two of each component
- Sizes 40mm to 63mm contain one of each component
- Low smoke and fume coating complies to BS6121 part 1

LSF cable gland kits IP rated - 2 part



Product code	Description	Pack quantity
LCW20SK	20mm small	1
LCW20K	20mm	1
LCW25K	25mm	1
LCW32K	32mm	1
LCW40K	40mm	1
LCW50K	50mm	1
LCW63K	63mm	1

- Armoured cable gland kit contains clamping collar, gland, mounting nut, earth tag and shroud
- Sizes 20mm S to 32mm contain two of each component
- Sizes 40mm to 63mm contain one of each component
- Low smoke and fume coating complies to BS6121 part 1
- Rated to IP66

Brass BW cable gland kits – 2 part



Product code	Description	Pack quantity
MBW20SK	20mm small	1
MBW20K	20mm	1
MBW25K	25mm	1
MBW32K	32mm	1
MBW40K	40mm	1
MBW50K	50mm	1
MBW63K	63mm	1

- Armoured 2 part cable gland kit contains clamping collar, gland, mounting nut, earth tag and shroud
- Sizes 20mm S to 32mm contain two of each component
- Sizes 40mm to 63mm contain one of each component
- For indoor use

Brass BW cable gland kits – 3 part



Product code	Description	Pack quantity
3BW20SK	20mm small	1
3BW20K	20mm	1
3BW25K	25mm	1
3BW32K	32mm	1
3BW40K	40mm	1
3BW50K	50mm	1
3BW63K	63mm	1

- Armoured 3 part cable gland kit contains clamping collar, clamping ring, gland, Indentation issues throughout
- Sizes 20mm S to 32mm contain two of each component
- Sizes 40mm to 63mm contain one of each component
- For indoor use

Cable gland kits, brass bushes & enclosures

Brass CW cable gland kits - 4 part



Product code	Description	Pack quantity
MCW20SK	20mm small	1
MCW20K	20mm	1
MCW25K	25mm	1
MCW32K	32mm	1
MCW40K	40mm	1
MCW50K	50mm	1
MCW63K	63mm	1

- Armoured 4 part cable gland kit contains sealing collar, clamping collar, clamping ring, gland, mounting nut, earth tag and shroud
- Sizes 20mm S to 32mm contain two of each
- Sizes 40mm to 63mm contain one of each component
- For outdoor use rated to IP66

Shrouds



Product code	Description	Pack quantity
SH20S	20mm small	1
SH20	20mm	1
SH25	25mm	1
SH32	32mm	1

Brass bushes



Product code	Description	Pack quantity
MBM20S	20mm short male	10
MBM25S	25mm short male	10
MBM15S	1.5" short male	10
MBM20L	20mm long male	10
MBM32L	32mm long male	10

Wall mounted industrial enclosures



Product code	Description	Pack quantity
M101005	100 x 100 x 50mm	1
M130806	130 x 80 x 55mm	1
M151107	150 x 110 x 70mm	1
M181407	180 x 140 x 70mm	1
M241808	240 x 190 x 90mm	1

- Adaptable box for a multitude of uses
- Manufactured from thermoplastic and rated to IP56
- Available in grey

Glands

Dome top glands



Product code	Description	Cable diameter	Pack quantity
MP16DW	16mm white	5 - 10mm	50
MP16DB	16mm black	5 - 10mm	50
MP20DW	20mm small white	6 - 12mm	50
MP20DB	20mm small black	6 - 12mm	50
MP20DR	20mm small red	6 - 12mm	50
MP202DW	20mm white	10 - 14mm	50
MP202DB	20mm black	10 - 14mm	50
MP202DR	20mm red	10 - 14mm	50
MP25DW	25mm white	13 - 18mm	25
MP25DB	25mm black	13 - 18mm	25
MP32DW	32mm white	18 - 25mm	20
MP32DB	32mm black	18 - 25mm	20

- For securing and terminating cable into a source
- Supplied complete with locknut
- IP68 rated submersible zero halogen
- CE marked
- Available in white, black or red

Nylon glands



Product code	Description	Cable diameter	Pack quantity
Gland kits			
MPL20W	20mm small white	7 - 10.5mm	10
MPL20B	20mm small black	7 - 10.5mm	10
MPL202B	20mm large black	8 - 13mm	10
Glands only			
MP10B	10mm black	5 - 7mm	100
MP16W	16mm white	7 - 10.5mm	100
MP16B	16mm black	7 - 10.5mm	100
MP20W	20mm small white	7 - 10.5mm	100
MP20B	20mm small black	7 - 10.5mm	100
MP20R	20mm small red	7 - 10.5mm	100
MP202B	20mm large black	8 - 13mm	100
MP202R	20mm large red	8 - 13mm	100
MP25W	25mm small white	8 - 13mm	100
MP25B	25mm small black	8 - 13mm	100
MP25R	25mm small red	8 - 13mm	100
MP252W	25mm large white	12 - 18mm	100
Lock nuts only			
ML10B	10mm black	5 - 7mm	100
ML16W	16mm white	7 - 10.5mm	100
ML16B	16mm black	7 - 10.5mm	100
ML20W	20mm small white	7 - 10.5mm	100
ML20B	20mm small black	7 - 10.5mm	100
ML20R	20mm small red	7 - 10.5mm	100
ML25W	25mm small white	8 - 13mm	100
ML25B	25mm small black	8 - 13mm	100
ML25R	25mm small red	8 - 13mm	100

- For securing and terminating cable into a source
- Zero halogen nylon for use on unarmoured cables type A
- Available in kit form, individual glands or locknuts
- Available in white, black or red

Cleats

Heavy duty cable cleats



Product code	Description	Pack quantity
LDPP - single hole		
MS3	7.6mm	50
MS4	10.2mm	50
MS5	12.7mm	50
MS6	15.2mm	50
MS7	17.0mm	50
MS8	20.3mm	50
MS9	22.8mm	50
MS10	25.4mm	50
MS11	27.7mm	20
MS12	30.4mm	20
MS14	35.6mm	20
MS16	40.6mm	20
MS18	45.7mm	20
MS20	50.8mm	20
LDPP - two hole		
MT9	57.1mm	5
MT10	63.5mm	5
MT11	69.8mm	5
MT12	76.2mm	5
MT14	82.5mm	5
MT15	105mm	5

- For clamping and tying armoured and unarmoured cables
- Constructed from low density polyolefin (LDPP) and available in black
- High strength and impact resistance
- Corrosion and UV light resistant
- Stable at temperature ranging from -35°C to +85°C



LSF polypropylene JEM 2 part clamps



Product code	Description	Pack quantity
MJ2	Cable diameter 50 – 75mm	5

- Rapid flame extinction
- Low smoke emission, halogen and heavy metal free

Cable cleat sizing chart

PVC	1 Core	2 Core	3 Core	4 Core	7 Core	12 Core	19 Core	27 Core
Cable Type Conductor mm ²								
1.5		MS5	MS5	MS6	MS6	MS8	MS9	MS10
2.5		MS6	MS6	MS6	MS7	MS9	MS10	MS12
4		MS6	MS7	MS7	MS7	MS8	MS11	
6		MS7	MS8	MS8				
10		MS8	MS9	MS9				
16		MS9	MS10	MS11				
XLPE	1 Core	2 Core	3 Core	4 Core	7 Core	12 Core	19 Core	27 Core
25		MS10	MS11	MS12				
35		MS12	MS11	MS12				
50	MS7	MS11	MS12	MS14				
70	MS8	MS12	MS14	MS16				
95	MS9	MS14	MS16	MS18				
95	MS9	MS14	MS16	MS18				
120	MS10	MS16	MS16	MS20				
150	MS11	MS16	MS18	MT9				
185	MS12	MS18	MS20	MT9				
240	MS14	MS20	MT9	MT10				
300	MS16	MT9	MT10	MT11				
400	MS16							
500	MS18							
630	MS20							
800	MT9							
1000	MT10							

- This chart is intended as a guide only.
- Please check actual cable dimensions against clear dimensions to ensure exact selection. Schneider Electric cannot accept responsibility for an incorrect selection.
- The most commonly used copper conductor types are shown

Earth clamps and pipe accessories

Earth clamps



Product code	Description	Cable diameter	Pack quantity
3000952	ECL15 150mm strap length wet or dry use	12-32mm	20
3000956	ECL14 150mm strap length wet use	12-32mm	20
3000959	EC16 150mm strap length wet use	12-32mm	20
3000965	EC14/2 200mm strap length dry use	32-50mm	20
3000969	EC15/2 200mm strap length wet or dry use	32-50mm	20
3000971	EC15/3 300mm strap length wet or dry use	50-75mm	20
21RCK10	Ezyerth standard clamp kit (for radiators)	n/a	10

- Available to suit wet or dry conditions and a range of pipe diameters
- Designed to comply with BS951
- Manufactured with a brass or phosphor bronze body with phosphor bronze strap

Pipe clips and spacers



Product code	Description	Pack quantity
4304018	15mm single open	100
4304025	22mm single open	100
4304032	28mm single open	100
4304019	15mm double open	100
4304026	22mm double open	100
4301010	15mm single hinged	100
4301015	22mm single hinged	100
4301020	28mm single hinged	50
4301040	15mm double hinged	50
4301045	22mm double hinged	50
2053015	15mm nail - in clips	100
78PCW10AC	White 10mm - 29mm nail	100 x 10

- Snap on type
- Screw fixed
- Interlocking facility enables joining of hinged clips
- Manufactured from polypropylene
- Can withstand temperatures of 80°C
- Spacers provide additional stand off distance from the wall for insulation materials
- Available for a wide range of heating pipe diameters

Pipe trunking - type TRL



Product code	Description	Pack quantity
4304018	15mm single open	100
4304025	22mm single open	100
4304032	28mm single open	100
4304019	15mm double open	100
4304026	22mm double open	100
4301010	15mm single hinged	100
4301015	22mm single hinged	100
4301020	28mm single hinged	50
4301040	15mm double hinged	50
4301045	22mm double hinged	50
2053015	15mm nail - in clips	100
78PCW10AC	White 10mm - 29mm nail	100 x 10

- Cover designed to suit both plumbing and electrical installations
- Base clamps with ties, fixes the pipe or cable
- Cover snaps into place reducing risk of damage





Foam, Adhesives, Sealants & Fillers

INTRODUCING Sealants & Adhesives


The advanced suite of products comprises high spec sealants, adhesive, caulk, expanding foams, filler, hand wipes, super glue and dispensing guns. This comprehensive product range has been designed with safety in mind.



Sealants & Adhesives

Sealants



Product code	Description	Pack quantity
IMT23024	Silicone sealant white 300ml	12
IMT23025	Silicone sealant clear 300ml	12
IMT23026	Silicone sealant black 300ml	12
IMT23027	Fire rated sealant white 300ml	12
IMT23036	 Pro one sealant white 300ml	12

- A general purpose silicone sealant ideal for most sealing and water proofing jobs, as well as use in areas of high humidity, such as in bathrooms and kitchens.
- Can be used both internally and externally.

Fillers



Product code	Description	Pack quantity
IMT23031	Gap filling adhesive 300ml	12
IMT23034	One application filler 500ml	12
IMT23028	Decorators caulk white 300ml	12
IMT23034	One application filler 500ml	12

- Ideal for filling holes and gaps in difficult to access areas e.g. ceilings and uneven surfaces.
- For internal and external use however, not to be used in areas subject to frequent water immersion.

Expanding foam



Product code	Description	Pack quantity
IMT23029	Expanding foam 750ml	12
IMT23030	Fire rated expanding foam 750ml	12

- Rapidly fills holes and irregular gaps to improve draught, heat and sound insulation.

Miscellaneous



Product code	Description	Pack quantity
IMT23033	Super glue 50g	20
IMT23035	Multi-purpose hand wipes 100	16
IMT23032	Dispensing gun	1

- A high viscosity adhesive developed for bonding rubber and plastics and a range of materials. For use on porous surfaces.
- Multi-purpose trade wipes for cleaning a wide range of chemicals off hands, tools and surfaces.
- Extruder gun for use with all cartridge based silicones, sealants and adhesives.



Site Power



Thorsman Site Lighting

The Thorsman LED Work Light range has been designed to offer more features and to cover a maximum number of applications.

All products in the range are equipped with the latest LED technology to offer better energy efficiency, higher light quality and a longer lifetime.



Site lighting, cable reels and extension leads

Thorsman LED handheld light



Product code	Description	Pack quantity
IMT33093	1.3W LED handheld	6

- Slim and smart design
- Super flexible - tilts up to 180 degrees
- Technical lifetime of 50,000 hours

Thorsman LED site lights standard



Product code	Description	Pack quantity
IMT33097	18W LED 240V	1
IMT33098	18W LED 110V	1
IMT33104	30W LED 240V	1
IMT33105	30W LED 110V	1
IMT33111	50W LED 240V	1
IMT33112	50W LED 110V	1

- Newest state-of-the-art LED technology
- Uniform and completely even illumination
- Bracket allows the lamps to stand upright on any surface
- Temp resistance: -25°C to 40°C

Thorsman LED site lights premium



Product code	Description	Pack quantity
IMT33092	25W LED 110V	1

- Close to daylight for optimum color recognition
- Technical lifetime of the LED 50,000 hours
- Unbreakable & sturdy
- P67 = Waterproof

Cable reels



Product code	Description	Pack quantity
Thorsman cable reels		
4510080	10m 13A 240V 4 socket cassette	1
4510090	10m 10A 240V 2 socket cassette	6
4510092	25m 13A 240V 2 socket open	1
4510094	40m 13A 240V 2 socket open	1
4510096	50m 13A 240V 2 socket open	1
4510093	25m 16A 110V 2 socket open	1
4510095	40m 16A 110V 2 socket open	1
Jojo cable reels		
JJR22516	25m 16A 110V 2 socket open	1
JJR42513	25m 13A 240V 4 socket open	1
JJR45013	50m 13A 240V 4 socket open	1
JJR43013RCD	30m 13A 240V 4 socket with RCD plug open	1
JJR4513	5m 13A 240V 4 socket cassette	1
JJR41010	10m 10A 240V 4 socket cassette	1
JJR41013	10m 13A 240V 4 socket cassette	1
JJR41510	15m 10A 240V 4 socket cassette	6
Trailing leads		
4502105	14m 16A lead set 110V 1.5mm ²	1
4503107	14m 16A lead set 110V 2.5mm ²	1

- Jojo and Thorsman cable reels are manufactured to the highest quality standards
- Both cassette and open type cable reels, with a variety of cable lengths available to suit a range of applications
- Features a safety cut out in accordance with BS EN 61242
- All cable reels are BSI kitemarked, CE marked and conform to BS1363
- Trailing leads ideal for supporting lighting or power tool use on site, in conjunction with transformers and splitters.
- Leads incorporate a 3 pin 16A plug.

Extension leads, RCDs and timer

Extension leads



Product code	Description	Pack quantity
JJL15W	5m 13A 1 socket	1
JJL210W	10m 13A 2 socket	1
JJL41W	1m 13A 4 socket	1
JJL42W	2m 13A 4 socket	1
JJL43W	3m 13A 4 socket	1
JJL45W	5m 13A 4 socket	1
JJL410WRCD	10m 13A 4 socket with RCD plug	1
JJL42WHDC	2m 13A 4 socket heavy duty with switch and neon	1
JJL45WHDC	5m 13A 4 socket heavy duty with switch and neon	1
JJL42WHDC4	2m 13A 4 socket heavy duty individually switched with neon	1
JJL45WHDC4	5m 13A 4 socket heavy duty individually switched with neon	1
JJL42WSSC	2m 13A 4 socket with surge protection and two neons	1
JJL62WSSC	2m 13A 6 socket with surge protection and two neons	1
JJL62WHDC	2m 13A 6 socket heavy duty individually switched with neon	1

- Jojo extension leads are manufactured to the highest quality standards
- A wide range of features and cable lengths available
- Supplied with 1.25mm³ core PVC cable and are 13A rated
- All extension leads are CE marked and conform to BS1363

Unwired extension leads



Product code	Description	Pack quantity
400110	1 socket 13A heavy duty orange	1
400286	8 socket 13A ultraslim switched white	1
400331	4 socket 13A heavy duty individually switched with neon white	1
400333	6 socket 13A heavy duty with switch and neon white	1
400444	4 socket 13A heavy duty with switch and neon black	1
400550	1 socket 13A heavy duty white	1
400555	2 socket 13A heavy duty white	1
400460	2 socket 13A white	1
400465	6 socket 13A heavy duty switched, fused, neon white	1
400470	4 socket 13A heavy duty white	1

- Jojo unwired extension leads are manufactured to the highest quality standards
- A wide range of features available
- All unwired extension leads are CE marked and conform to BS1363

RCDs



Product code	Description	Pack quantity
400137	13A RCD plug in adaptor	1
400940	13A In line re-wireable RCD white	1
400945	13A Re-wireable RCD adaptor black	1

- Residual Current Devices (RCDs) offer protection and peace of mind for higher risk electrical equipment
- RCD plug in and re-wireable adaptors available
- RCDs offer 30mA tripping current, 30mS tripping time and are 13A rated
- All RCDs CE marked

Mechanical timer



Product code	Description	Pack quantity
400955	24 hour mechanical timer	1

- Allows control of the time lights or appliances switched on and off
- Ideal for added security in the home



Power tool accessories

Power tool accessories

Hammer SDS plus bit - THB



Product code	Description	Pack quantity
1788868A	4 x 160mm	1
1788926A	5 x 110mm	1
1788934A	5 x 160mm	1
1788975A	5.5 x 110mm	1
1788989A	5.5 x 160mm	1
1789023A	6 x 110mm	1
1789016A	6 x 160mm	1
1789028A	6.5 x 110mm	1
1789030A	6.5 x 160mm	1
1789052A	7 x 110mm	1
1789054A	7 x 160mm	1
1789080A	8 x 110mm	1
1789108A	8 x 160mm	1
1789116A	8 x 210mm	1
1789120A	8 x 260mm	1
1789153A	10 x 160mm	1
1789165A	10 x 210mm	1
1789195A	10 x 450mm	1
1789252A	12 x 160mm	1
1789272A	12 x 210mm	1
1789304A	12 x 250mm	1
1789319A	12 x 450mm	1
1789323A	12 x 600mm	1
1789350A	14 x 150mm	1
1789352A	14 x 200mm	1
1789410A	14 x 450mm	1
1789414A	14 x 600mm	1
1789440A	16 x 150mm	1
1789450A	16 x 200mm	1
1789455A	16 x 300mm	1
1789470A	16 x 450mm	1
1789481A	16 x 600mm	1
1789485A	18 x 450mm	1
1789500A	20 x 450mm	1
1789510A	20 x 600mm	1
1789520A	22 x 450mm	1
1789570A	25 x 450mm	1

- For use in concrete, brick, stone and rock
- Suitable for electro-pneumatic rotary hammer machines with an SDS fitting

SDS plus chisels



Product code	Description	Pack quantity
1773106A	20 x 250mm	1
1773107A	40 x 250mm	1

Power tool accessories

High speed steel rolled flute drill bits



Product code	Description	Pack quantity
Imperial		
1800032A	3/32"	10
1800049A	7/64"	10
1800056A	1/8"	10
1800063A	9/64"	10
1800094A	3/16"	10
1800131A	1/4"	10
1800216A	3/8"	5
Metric		
1800414A	1mm	10
1800421A	1.5mm	10
1800438A	2mm	10
1800445A	2.5mm	10
1800452A	3mm	10
1800456A	3.3mm	10
1800469A	3.5mm	10
1800476A	4mm	10
1800483A	4.5mm	10
1800490A	5mm	10
1800506A	5.5mm	10
1800513A	6mm	10
1800520A	6.5mm	10
1800537A	7mm	10
1800544A	7.5mm	10
1800568A	8mm	10
1800575A	8.5mm	10
1800582A	9mm	5
1800605A	10mm	5
1800612A	10.5mm	5
1800629A	11mm	5
1800643A	12mm	5
1800667A	13mm	5

- Suitable for metal, wood, plastic and steel
- Comprehensive range available in metric and imperial sizes
- Packed in plastic tubes

Imperial jobber drill bits



Product code	Description	Pack quantity
1800305A	1/8"	10
1800308A	3/16"	10
1800309A	3/32"	10

- Suitable for general use
- Imperial sizes only
- Packed in plastic tubes

Power tool accessories

Auger bits



Product code	Description	Pack quantity
Hexagonal shank		
1801130A	19 x 200mm	1
1801140A	22 x 200mm	1
1801150A	25 x 200mm	1
1801160A	32 x 200mm	1
SDS plus shank		
1806060A	19 x 200mm	1
1806070A	22 x 200mm	1
1806080A	25 x 200mm	1

- Suitable for drilling deep holes in hardwood, softwood, plywood, MDF etc

Flat bits



Product code	Description	Pack quantity
1801590A	13 x 152mm	1
1801619A	16 x 152mm	1
1801810A	19 x 160mm	1
1801626A	20 x 160mm	1
1801633A	22 x 152mm	1
1801640A	25 x 152mm	1
1801660A	32 x 160mm	1
1801680A	38 x 152mm	1
1802650A	6 piece set (10, 13, 16, 19, 22, 25 x 160mm)	1

- Manufactured from high quality carbon steel
- Suitable for use in hand and power tools
- Hexagonal shank to fit conventional drill

Step and taper drills



Product code	Description	Pack quantity
Step drills		
3310210A	No.3 (14 diameters) 4 - 30mm	1
Taper drills		
3310105A	No.2 5 - 20mm	1
3310110A	No.3 16 - 30mm	1

- Each drill will cut a variety of hole diameters in many materials
- Manufactured from ground high speed steel
- Non-slip point produces its own pilot hole

Magnetic sockets



Product code	Description	Pack quantity
3752000	Hex size 5/16" - 6.3mm screw diameter	5

- Fits most leading brands of electric screwdrivers

Power tool accessories

Holesaws



Product code	Description	Pack quantity
3314010	16mm	1
3314030	20mm	1
3314040	22mm	1
3314050	25mm	1
3312208	27mm	1
3312207	29mm	1
3314070	32mm	1
3312090	38mm	1
3312100	40mm	1
3312110	44mm	1
3312202	46mm	1
3314120	51mm	1
3312630	54mm	1
3312130	57mm	1
3312200	59mm	1
3312199	60mm	1
3312140	64mm	1
3312198	67mm	1
3312150	70mm	1
3312196	73mm	1
3312160	76mm	1
3312195	79mm	1
3312197	83mm	1
3312194	86mm	1
3312193	89mm	1
3312192	92mm	1
3312191	95mm	1
3312180	102mm	1
3312189	105mm	1
3312187	111mm	1
3312186	114mm	1
3312184	127mm	1
3312181	152mm	1
3311910	Electricians holesaw kit contains: 20, 25, 32, 38, 51, 64mm holesaws, A1 and A2 arbors	1

- Suitable for cutting a large variety of hole diameters in many different materials
- Variable pitch tooth design
- Industry standard fitting

Arbors



Product code	Description	Pack quantity
3314300	A1 arbor (14 - 30mm holesaws $\frac{3}{8}$ " hex)	1
3314310	A2 arbor (32 - 152mm holesaws $\frac{7}{16}$ " hex)	1
3314320	A10 arbor (32 - 152mm holesaws $\frac{3}{8}$ " hex)	1
3314308	SDS and arbor (14 - 30mm holesaws)	1
3314314	SDS and A2 arbor (32 - 152mm holesaws)	1
3313004	Pilot drill 1 (for A1, A2 & A10 arbors 82mm)	1
3313011	Pilot drill 2 (for A4 arbor 107mm)	1

- Interchangeable with all major brands





Hand tools

Hand tools

Crimping kit



Product code	Description	Pack quantity
08CRIMPKIT	Crimp tool connector kit	1

- Crimpkit contains 18 variant type connectors and a ratchet crimping tool
- Suitable for 1.5, 2.5 and 4mm insulated terminals

Cable tacker and staples



Product code	Description	Pack quantity
IMT70000	Professional cable tacker	1
IMT70001	45/10mm galvanised staples	5,000
IMT70002	60/10mm galvanised staples	5,000
IMT70003	45/10mm white staples	5,000

- For fastening low voltage telephone and alarm cable:
- Lightweight, with comfortable ABS handle
- Staples neatly into corners
- Safe and easy to load

Grab damaged screw remover



Product code	Description	Pack quantity
1775112	Grabit damaged screw remover	1

- Damaged screw and bolt remover.
- Removes screws and bolts cleanly from metal, wood and plastic

Co-axial stripper



Product code	Description	Pack quantity
08CS1	Co-axial stripper	1

- Co-axial stripper is preset to strip cable to 8mm
- Adjustable 'V' block for RG58 and RG59 cable
- Two cutting blades with adjustable blade depth and finger ring for ease of use.

Fish wire draw tape



Product code	Description	Pack quantity
IMT38065	Nylon fish wire draw tape 10m	1
08FW20FH	Nylon fish wire draw tape 20m	1

- High strength nylon fish wire draw tape to run cables through confined spaces
- Supplied with fixed head terminals

Electricians box sinker



Product code	Description	Pack quantity
3310165	Quadcut single box sinker kit	1
3310170	6mm guide rod	1
3310180	Quadcut double box cutter only	1

- Quick and accurate fitting of metal back boxes
- Ideal for either single or double boxes
- Pre-drills the fixing hole
- Suitable for block or masonry





Fixings

Fixings guide

	Application		
	Cable ladders, cable trays and mesh trays	Poles and posts perimeter	Mini trunking
Wall plugs p1/10	☐ 1	☐ 1	☐ 1
Metal and nylon cavity fixings - TPD p4/32	☐	☐	☐
Hollow wall anchors p4/37	☐	☐	☐
Through bolts p4/43	☐ 1	☐	☐
Shield anchors p4/38	☐ 1	☐	☐
Twin thread wood screws p4/31	☐	☐	☐ 1
Chipboard screws p4/33 - p4/34	☐	☐	☐ 1
Stainless steel wood screws p4/35	☐	☐	☐ 1
Combi roundhead screws p4/35	☐	☐ 1	☐
Machine screws p4/32	☐	☐	☐ 1
Roofing nuts and bolts p4/32	☐	☐	☐
Drywall screws p4/40	☐	☐	☐ 1
Steel to steel self drilling screws p4/41	☐	☐	☐
Gash point screws p4/42	☐	☐	☐
Masonry nails p4/39	☐	☐	☐
Fixing band p1/13	☐	☐	☐
Cable clips p1/6 - p1/9	☐	☐	☐

	Material		
	Concrete stone/rock	Hollow bricks and building blocks	Plaster board
Wall plugs p1/10	☐ 1	☐ 1	☐ 1
Metal and nylon cavity fixings - TPD p4/32	☐	☐	☐
Hollow wall anchors p4/37	☐	☐	☐
Through bolts p4/43	☐	☐	☐
Shield anchors p4/38	☐	☐	☐
Twin thread wood screws p4/31	☐ 2	☐ 1	☐ 2
Chipboard screws p4/33 - p4/34	☐ 2	☐ 2	☐ 2
Stainless steel wood screws p4/35	☐ 2	☐ 2	☐ 2
Combi roundhead screws p4/35	☐ 2	☐ 2	☐ 2
Machine screws p4/32	☐ 2	☐ 2	☐ 2
Roofing nuts and bolts p4/32	☐	☐	☐
Drywall screws p4/40	☐	☐	☐
Steel to steel self drilling screws p4/41	☐	☐	☐
Gash point screws p4/42	☐	☐	☐
Masonry nails p4/39	☐	☐	☐
Fixing band p1/13	Dependant on fixing	Dependant on fixing	Dependant on fixing
Cable clips p1/6 - p1/9	☐	☐	☐

Key

☐ = Suitable

☐ = Not suitable

1 = Together with screws and/or plugs etc

2 = Together with plug


3 = Together with clip plug TCP

Perimeter trunking and cable distribution trunking	Installation boxes	Cables and conduits	Wiring accessories
□ 1	□ 1	□	□ 1
□	□	□	□
□	□	□	□
□	□	□	□
□ 1	□ 2	□	□ 2
□ 1	□ 2	□	□ 2
□ 2	□ 2	□	□ 2
□	□ 2	□	□ 2
□ 2	□ 2	□	□ 2
□	□	□	□
□ 1	□	□	□
□	□	□	□ 2
□	□	□	□ 2
□	□	□	□ 2
□	□	□	□ 2
□	□	□	□ 2

Wooden board	Sheet metal	Wood	Plastic
□ 1	□	□	□ 1
□	□	□	□
□	□	□	□
□	□	□	□
□ 2	□	□ 2	□ 2
□ 2	□	□ 2	□ 2
□ 2	□	□ 2	□ 2
□ 2	□	□ 2	□ 2
□	□	□	□
□	□	□	□
□	□	□	□ 2
□	□	□	□ 2
□	□	□	□ 2
Dependant on fixing	Dependant on fixing	Dependant on fixing	Dependant on fixing
□	□	□	□ 2

Fixings

Twin thread wood screws



Product code	Description	Pack quantity
Bright zinc plated		
3736025	4 x 1/2"	200
3736032	4 x 5/8"	200
3736049	4 x 3/4"	200
3736056	4 x 1"	200
3736070	5 x 1/2"	200
3736087	5 x 5/8"	200
3736117	6 x 1/2"	200
3736124	6 x 5/8"	200
3719172	6 x 3/4"	200
3719196	6 x 1"	200
3719219	6 x 1 1/4"	200
3719226	6 x 1 1/2"	200
3736179	6 x 1 3/4"	200
3719240	6 x 2"	200
3736209	7 x 3/4"	200
3719301	7 x 1"	200
3719318	7 x 1 1/4"	200
3719325	7 x 1 1/2"	200
3719349	8 x 1/2"	200
3736278	8 x 5/8"	200
3719363	8 x 3/4"	200
3719387	8 x 1"	200
3719400	8 x 1 1/4"	200
3719417	8 x 1 1/2"	200
3719424	8 x 1 3/4"	200
3719431	8 x 2"	200
3736353	8 x 2 1/4"	200
3719455	8 x 2 1/2"	200
3736377	8 x 3"	200
3736391	10 x 3/4"	200
3719509	10 x 1"	200
3719516	10 x 1 1/4"	200
3719523	10 x 1 1/2"	200
3719530	10 x 1 3/4"	200
3719547	10 x 2"	200
3719554	10 x 2 1/4"	200
3719561	10 x 2 1/2"	100
3719585	10 x 3"	100
3736476	10 x 3 1/2"	100
3736483	10 x 4"	200
3736485	12 x 1"	200
3736506	12 x 1 1/4"	200
3736513	12 x 1 1/2"	200
3736520	12 x 2"	100
3736537	12 x 2 1/2"	100
3736544	12 x 3"	100
3736551	12 x 3 1/2"	100
3736568	12 x 4"	100
Yellow passivated		
3737500	7 x 1"	200
3737503	7 x 1 1/4"	200

- Suitable for wood, plastic and nylon wall plugs
- Pozidrive countersunk head
- Through hardened and zinc plated finish

Fixings

Brass pan head machine screws



Product code	Description	Pack quantity
3747113	M4 x 6mm	100
3747120	M4 x 8mm	100
3747137	M4 x 10mm	100
3747144	M4 x 12mm	100
3747151	M4 x 16mm	100
3747168	M4 x 20mm	100
3747175	M4 x 25mm	100
3747182	M4 x 30mm	100
3747199	M4 x 35mm	100
3747205	M4 x 40mm	100
3747212	M4 x 50mm	50
3747717	M4 Brass fullnuts	100
3747755	M4 Brass washers	100

- Suitable for many electrical installations
- Manufactured from solid brass material

Raised head machine screws



Product code	Description	Pack quantity
3746130	M3.5 x 25mm	100
3746154	M3.5 x 35mm	100
3746161	M3.5 x 40mm	100
3746178	M3.5 x 50mm	100
3746104	M3.5 x 50mm electroplated brass	100
3746192	M3.5 x 75mm	50
3747758	M3.5 x 35mm extension stud	100

- Suitable for socket boxes, switches etc
- BZP finish

Cavity fixings - TPD™



Product code	Description	Pack quantity
1220104	TPD™ metal	100
1220010	TPD™ nylon	100

- Ideal for light installations in plasterboard
- Supplied complete with screw
- Self-drilling design for easy installation

Roofing nuts and bolts



Product code	Description	Pack quantity
3750050	M6 x 12mm	200
3750060	M6 x 16mm	200
3750070	M6 x 20mm	200
3750080	M6 x 25mm	200
3750090	M6 x 30mm	200
3750100	M6 x 40mm	100
3750110	M6 x 50mm	100

- Suitable for many electrical installations
- Double slotted head with square nut
- BZP finish

Penny washers



Product code	Description	Pack quantity
3750056	M6 x 25mm steel zinc plated penny washer	100
3750057	M8 x 25mm steel zinc plated penny washer	100
3750058	M10 x 25mm steel zinc plated penny washer	100

- BZP finish

Fixings

Chipboard screws



Product code	Metric gauge & length	Imperial gauge & length	Pack quantity
Yellow passivated			
3742026	3 x 13mm	4 x 1/2"	200
3742033	3 x 15mm	4 x 5/8"	200
3742037	3 x 17mm	4 x 11/16"	200
3742040	3 x 20mm	4 x 3/4"	200
3742057	3 x 25mm	4 x 1"	200
3742064	3 x 30mm	4 x 1 1/4"	200
3742088	3.5 x 13mm	6 x 1/2"	200
3742095	3.5 x 15mm	6 x 5/8"	200
3742098	3.5 x 17mm	6 x 11/16"	200
3742101	3.5 x 20mm	6 x 3/4"	200
3742118	3.5 x 25mm	6 x 1"	200
3742125	3.5 x 30mm	6 x 1 1/4"	200
3742127	3.5 x 35mm	6 x 1 3/8"	200
3742132	3.5 x 40mm	6 x 1 1/2"	200
3742170	4 x 15mm	8 x 3/4"	200
3742171	4 x 17mm	8 x 11/16"	200
3742187	4 x 20mm	8 x 3/4"	200
3742194	4 x 25mm	8 x 1"	200
3742200	4 x 30mm	8 x 1 1/4"	200
3742209	4 x 35mm	8 x 1 3/8"	200
3742217	4 x 40mm	8 x 1 1/2"	200
3742224	4 x 45mm	8 x 1 3/4"	200
3742231	4 x 50mm	8 x 2"	200
3742240	4 x 60mm	8 x 2 1/2"	200
3742247	4 x 70mm	8 x 2 3/4"	200
3742255	4.5 x 20mm	9 x 3/4"	200
3742262	4.5 x 25mm	9 x 1"	200
3742279	4.5 x 30mm	9 x 1 1/4"	200
3742280	4.5 x 35mm	9 x 1 3/8"	200
3742286	4.5 x 40mm	9 x 1 1/2"	200
3742293	4.5 x 45mm	9 x 1 3/4"	200
3742309	4.5 x 50mm	9 x 2"	200
3742323	5 x 20mm	10 x 3/4"	200
3742330	5 x 25mm	10 x 1"	200
3742347	5 x 30mm	10 x 1 1/4"	200
3742351	5 x 35mm	10 x 1 3/8"	200
3742354	5 x 40mm	10 x 1 1/2"	200
3742361	5 x 45mm	10 x 1 3/4"	200
3742378	5 x 50mm	10 x 2"	200
3742381	5 x 55mm	10 x 2 3/8"	200
3742385	5 x 60mm	10 x 2 1/2"	100
3742392	5 x 70mm	10 x 2 3/4"	100
3742408	5 x 75mm	10 x 3"	100
3742415	5 x 90mm	10 x 3 1/2"	100
3742422	5 x 100mm	10 x 4"	100
3742446	6 x 30mm	12 x 1 1/4"	200
3742453	6 x 40mm	12 x 1 1/2"	200
3742477	6 x 50mm	12 x 2"	100
3742484	6 x 60mm	12 x 2 1/2"	100
3742491	6 x 70mm	12 x 2 3/4"	100
3742507	6 x 80mm	12 x 3 1/2"	100
3742514	6 x 90mm	12 x 3 1/2"	100
3742521	6 x 100mm	12 x 4"	100

- Through hardened with yellow passivated or BZP finish
- Single thread design provides excellent holding in a variety of materials
- Wax coated to ease penetration
- All imperial equivalents are approximate

Fixings

Chipboard screws



Product code	Metric gauge & length	Imperial gauge & length	Pack quantity
BZP electro-plated			
3740026	3 x 13mm	4 x 1/2"	200
3740040	3 x 20mm	4 x 3/4"	200
3740088	3.5 x 13mm	6 x 1/2"	200
3740095	3.5 x 15mm	6 x 5/8"	200
3740101	3.5 x 20mm	6 x 3/4"	200
3740118	3.5 x 25mm	6 x 1"	200
3740125	3.5 x 30mm	6 x 1 1/4"	200
3740132	3.5 x 40mm	6 x 1 1/2"	200
3740179	4 x 15mm	8 x 5/8"	200
3740187	4 x 20mm	8 x 3/4"	200
3740194	4 x 25mm	8 x 1"	200
3740197	4 x 30mm	8 x 1 1/4"	200
3740198	4 x 35mm	8 x 1 3/8"	200
3740137	4 x 40mm	8 x 1 1/2"	200
3740140	4 x 45mm	8 x 1 3/4"	200
3740141	4 x 50mm	8 x 2"	200
3740142	4 x 60mm	8 x 2 1/2"	200
3740143	4 x 70mm	8 x 2 3/4"	200
3740144	5 x 20mm	10 x 3/4"	200
3740145	5 x 30mm	10 x 1 1/4"	200
3740146	5 x 40mm	10 x 1 1/2"	200
3740148	5 x 50mm	10 x 2"	200
3740152	5 x 60mm	10 x 2 1/2"	100
3740153	5 x 70mm	10 x 2 3/4"	100
3740151	5 x 75mm	10 x 3"	100
3740158	5 x 100mm	10 x 4"	100

- Through hardened with yellow passivated or BZP finish
- Single thread design provides excellent holding in a variety of materials
- Wax coated to ease penetration
- All imperial equivalents are approximate

Decking screws



Product code	Description	Pack quantity
3743860	4 x 50mm	200
3743861	4 x 60mm	200
3743862	4 x 70mm	100
3743863	5 x 80mm	100
3743864	5 x 90mm	100

- 1,000 hours salt spray tested
- Ideal for decking, fencing and exterior applications
- Double countersunk head
- Pozi drive
- Sharp point, coarse thread
- Green coating to match timber

Roundhead wood screws



Product code	Description	Pack quantity
3737507	8 x 1"	200
3737506	8 x 1 1/4"	200
3737505	8 x 1 1/2"	200
3737508	8 x 2"	200

- Suitable for wood, plastic and nylon wall plugs
- Through hardened and zinc plated finish
- Sharp gimlet point

Fixings

Combi roundhead screws



Product code	Description	Pack quantity
3743182	3 x 13mm	200
3743183	3 x 15mm	200
3743184	3 x 20mm	200
3743185	3 x 25mm	200
3743368	3.5 x 13mm	200
3743180	3.5 x 15mm	200
3743192	3.5 x 20mm	200
3743193	3.5 x 25mm	200
3743194	3.5 x 30mm	200
3743195	3.5 x 40mm	200
3743187	4 x 13mm	200
3743188	4 x 15mm	200
3743190	4 x 20mm	200
3743191	4 x 25mm	200
3743207	4 x 30mm	200
3743215	4 x 40mm	200
3743220	4 x 50mm	200
3743222	5 x 20mm	200
3743337	5 x 25mm	200
3743344	5 x 30mm	200
3743351	5 x 40mm	200
3743360	5 x 50mm	200
3743365	5 x 60mm	100
3743366	5 x 70mm	100
3743367	5 x 75mm	100

- Available with a BZP finish on hardened steel
- Combination head can be used with slotted or pozi screwdriver
- Single thread provides excellent grip in many materials

Stainless steel wood screws



Product code	Description	Pack quantity
3743800	4 x 25mm	200
3743802	4 x 30mm	200
3743804	4 x 40mm	200
3743806	4 x 50mm	200
3743808	4 x 60mm	200
3743810	4 x 70mm	200
3743820	5 x 25mm	200
3743822	5 x 30mm	200
3743824	5 x 40mm	200
3743826	5 x 50mm	200
3743828	5 x 60mm	100
3743830	5 x 70mm	100
3743832	5 x 80mm	100
3743834	5 x 90mm	100
3743836	5 x 100mm	100
3743840	6 x 40mm	200
3743842	6 x 50mm	100
3743844	6 x 60mm	100
3743846	6 x 70mm	100
3743848	6 x 80mm	100
3743850	6 x 90mm	100
3743852	6 x 100mm	100

- Solid A302 (A2) stainless steel
- Single thread design
- Pozi drive
- Countersunk head
- High resistance to corrosion

Fixings

Brass wood screws



Product code	Description	Pack quantity
Recessed		
3739026	4 x 1/2"	200
3739033	4 x 5/8"	200
3739057	4 x 1"	200
3739125	6 x 3/4"	200
3739132	6 x 1"	200
3739149	6 x 1 1/4"	200
3739156	6 x 1 1/2"	200
3739194	7 x 1"	200
3739200	7 x 1 1/4"	200
3739255	8 x 3/4"	200
3739262	8 x 1"	200
3739279	8 x 1 1/4"	200
3739286	8 x 1 1/2"	200
3739309	8 x 2"	200
3739354	10 x 1"	200
3739361	10 x 1 1/4"	200
3739378	10 x 1 1/2"	200
3739392	10 x 2"	200
3739415	10 x 2 1/2"	100
3739422	10 x 3"	100
Slotted		
3701313	4 x 1/2"	200
3701337	4 x 5/8"	200
3701344	4 x 3/4"	200
3701513	6 x 3/4"	200
3701521	6 x 1"	200
3701547	6 x 1 1/2"	200
3701554	7 x 1"	200
3701588	8 x 3/4"	200
3701596	8 x 1"	200
3701604	8 x 1 1/4"	200
3701620	8 x 2"	200
3701624	8 x 2 1/2"	200
3701642	10 x 1 1/4"	200
3701646	10 x 1 1/2"	200
3701650	10 x 1 3/4"	200
3701653	10 x 2"	200
3701661	10 x 2 1/2"	100
3701687	12 x 2 1/2"	100

- Available with slotted or recessed heads
- Manufactured from non-corrosive solid brass with sharp gimlet point
- Suitable for wood, plastic and nylon plugs

Fixings Through bolts



Product code	Description	Pack quantity
BZP electro-plated		
IMT38005	M6 x 40mm	100
IMT38006	M6 x 70mm	100
IMT38007	M8 x 50mm	100
IMT38008	M8 x 95mm	50
IMT38009	M10 x 60mm	50
IMT38010	M10 x 105mm	25
IMT38011	M12 x 85mm	25
IMT38012	M12 x 125mm	25
Hot dipped zinc		
IMT38013	M6 x 40mm	100
IMT38014	M6 x 70mm	100
IMT38015	M8 x 50mm	100
IMT38016	M8 x 95mm	50
IMT38017	M10 x 60mm	50
IMT38018	M10 x 105mm	25
IMT38019	M12 x 85mm	25
IMT38020	M12 x 125mm	25
Stainless steel acid proof (A4)		
IMT38021	M6 x 40mm	100
IMT38022	M6 x 70mm	100
IMT38023	M8 x 50mm	100
IMT38024	M8 x 95mm	50
IMT38025	M10 x 60mm	50
IMT38026	M10 x 105mm	25

- Suitable for through fixing into concrete, stone and rock
- Popular sizes have twin clip design
- Available in BZP electro-plated, hot dipped zinc or stainless steel acid proof (A4)


Sleeve anchors



Product code	Description	Pack quantity
Standard head		
1501500	8 x 40mm	100
1501506	8 x 65mm	100
1501510	8 x 85mm	100
1501520	10 x 50mm	100
1501526	10 x 80mm	50
1501530	10 x 97mm	50
1501540	12 x 60mm	50
1501546	12 x 75mm	50
1501550	12 x 99mm	30
1501556	12 x 129mm	30
1501560	16 x 65mm	20
1501570	16 x 147mm	15
Hexagonal head		
1501035	10 x 80mm	50
1501040	10 x 100mm	50

- Suitable for fixing into concrete, brick, stone and dense concrete blocks
- Quick and easy through-fixing installation
- Available in standard nut or bolt head types

Wedge anchors



Product code	Description	Pack quantity
2810109	Wedge anchor M6 x 25mm	100
2810125	Wedge anchor M8 x 30mm	100
2810141	Wedge anchor M10 x 40mm	50
2810166	Wedge anchor M12 x 50mm	50
2810901	M6 setting tool	1
2810927	M8 setting tool	1
2810943	M10 setting tool	1

- Solid A302 (A2) stainless steel
- Single thread design
- Pozi drive
- Countersunk head
- High resistance to corrosion

Fixings

Shield anchor projection bolts - PB



Product code	Description	Pack quantity
1511100	M6 x 65mm PB610	100
1511103	M6 x 85mm PB625	75
1511106	M8 x 70mm PB810	50
1511108	M8 x 105mm PB840	45
1511109	M8 x 120mm PB860	40
1511110	M8 x 140mm PB880	30
1511112	M10 x 85mm PB1015	30
1511115	M10 x 100mm PB1030	25
1511118	M10 x 130mm PB1060	20
1511120	M10 x 160mm PB1090	20
1511124	M12 x 115mm PB1225	20
1511126	M12 x 135mm PB1250	15
1511027	M12 x 100mm PB1230	20

- For use in concrete, stone, rock and brick
- Hole tolerant, ideal for wall or overhead fixing
- All steel construction

Shield anchor loose bolts - LB



Product code	Description	Pack quantity
1511000	M6 x 50mm LB610	100
1511003	M6 x 70mm LB625	100
1511004	M6 x 90mm LB640	80
1511006	M8 x 60mm LB810	50
1511009	M8 x 80mm LB830	50
1511012	M8 x 90mm LB840	50
1511015	M10 x 70mm LB1010	30
1511018	M10 x 80mm LB1025	30
1511021	M10 x 100mm LB1050	25
1511022	M10 x 130mm LB1075	20
1511024	M12 x 80mm LB1210	20
1511027	M12 x 100mm LB1230	20

- Ideal for fixing heavy machines, fans, industrial doors and switch gear
- Four segment shield for even expansion
- All steel construction

Shield anchors



Product code	Description	Pack quantity
1511203	M8 x 55mm	100
1511206	M10 x 65mm	50
1511209	M12 x 75mm	25

- Suitable for supporting suspended ceilings, chain barriers and lighting fixings
- Hole tolerant compared with other types of anchor bolt
- All steel construction

Hooks and eyes



Product code	Description	Pack quantity
1511231	Hook M6	50
1511234	Hook M8	25
1511224	Eye M6	50
1511227	Eye M8	25
1511230	Eye M10	25

- Provides a secure anchorage for a variety of applications
- Includes hexagon nut and flat washer
- Shield anchor sold separately

Fixings

Masonry nails



Product code	Description	Pack quantity
Light gauge 2.5mm diameter		
3790000	25mm	100
3790002	30mm	100
3790004	35mm	100
3790006	40mm	100
3790093	45mm	100
3790010	50mm	100
3790014	60mm	100
Medium gauge 3mm diameter		
3790030	25mm	100
3790032	30mm	100
3790034	35mm	100
3790036	40mm	100
3790038	45mm	100
3790040	50mm	100
3790044	60mm	100
3790046	65mm	100
3790048	70mm	100
3790050	75mm	100
3790094	80mm	100
Heavy gauge 3.5mm diameter		
3790062	30mm	100
3790064	35mm	100
3790066	40mm	100
3790070	50mm	100
3790074	60mm	100
3790091	65mm	100
3790078	70mm	100
3790092	75mm	100
3790082	80mm	100
3790086	90mm	100
3790090	100mm	100
Capping nails		
3790204	2.5 x 25mm	100
3790207	2.5 x 30mm	100
3790208	2.5 x 35mm	100
Dome head nails		
3743865	2.5 x 18mm	250

- Suitable for fixing into brick, block and concrete
- C1075 grade steel, through hardened to 50 - 54 HRC and bright zinc plated
- Available in light, medium and heavy gauge
- Zinc plated finish



Masonry screws




Product code	Description	Pack quantity
Countersunk phillips head		
3703210	4.8 x 32mm	100
3703215	4.8 x 45mm	100
3703220	4.8 x 57mm	100
3703225	4.8 x 70mm	100
3703230	4.8 x 82mm	100
3703235	4.8 x 100mm	100
3703260	6.3 x 57mm	100
3703265	6.3 x 70mm	100
3703275	6.3 x 100mm	100
3703280	6.3 x 125mm	100
Hexagon head		
3703065	6.3 x 70mm hex size 5/16"	100

- Suitable for rapid anchoring directly into most masonry materials
- Available in countersunk or hexagon heads
- No wall plug required

Fixings

Drywall screws



Product code	Description	Pack quantity
Fine thread - grey phosphate		
3746125	3.5 x 25mm	1,000
3746132	3.5 x 32mm	1,000
3746138	3.5 x 38mm	1,000
3746142	3.5 x 42mm	1,000
3746145	3.5 x 45mm	1,000
3746105	3.5 x 50mm	500
3746155	3.5 x 55mm	500
3746160	3.5 x 60mm	500
3746651	4.2 x 65mm	500
3746751	4.2 x 75mm	500
3746752	4.2 x 100mm	250
Fine thread - zinc plated		
3745025	3.5 x 25mm	1,000
3745032	3.5 x 32mm	1,000
3745038	3.5 x 38mm	1,000
3745042	3.5 x 42mm	1,000
3745045	3.5 x 45mm	1,000
3745050	3.5 x 50mm	500
3745055	3.5 x 55mm	500
3745060	3.5 x 60mm	500
3745065	4.2 x 65mm	500
3745075	4.2 x 75mm	500
3745066	4.2 x 100mm	250
Coarse thread - grey phosphate		
3746308	3.9 x 32mm	1,000
3746310	3.9 x 35mm	1,000
3746012	3.9 x 38mm	1,000
3746314	3.9 x 45mm	1,000
3746316	3.9 x 50mm	500
3746318	3.9 x 55mm	500

- Bugle head with phillips recess, fine thread or coarse
- Available with grey phosphate or zinc plated finish
- Suitable for plasterboard, fibreboard, partitions and suspended ceilings
- CE marked

Self drilling drywall screws




Product code	Description	Pack quantity
3745210	3.5 x 25mm	1,000
3745212	3.5 x 32mm	1,000
3745214	3.5 x 38mm	1,000
3745216	3.5 x 42mm	1,000
3745218	3.5 x 50mm	1,000
3745230	4.2 x 65mm	500
3745400	4.2 x 13mm wafer head	1,000
3745405	4.2 x 13mm pan head	1,000

- Self drilling version for heavy duty applications
- Bugle head with phillips recess
- CE marked

Fixings

Collated drywall screws



Product code	Description	Pack quantity
Grey phosphate		
3746770	3.5 x 25mm fine	1,000
3746772	3.5 x 35mm fine	1,000
3746774	3.9 x 25mm coarse	1,000
3745223	3.9 x 32mm coarse	1,000
3746782	3.9 x 35mm coarse	1,000
3746784	3.9 x 41mm coarse	1,000
3746783	3.9 x 45mm coarse	1,000
3746156	3.9 x 50mm coarse	1,000
3746786	3.9 x 55mm coarse	1,000
Zinc plated		
3746900	3.5 x 25mm fine	1,000
3746906	3.9 x 35mm coarse	1,000
3746908	3.9 x 41mm coarse	1,000

- Bugle head with phillips recess
- Fits popular makes of collated screw gun
- Thread: coarse - timber fine - steel
- CE marked

Steel to steel self drilling screws



Product code	Description	Pack quantity
Light section 16mm bonded washer - maximum thickness 3.5mm		
3752260	5.5 x 25mm 3pt	100
3752265	5.5 x 32mm 3pt	100
3752270	5.5 x 38mm 3pt	100
3752275	5.5 x 50mm 3pt	100
Light section 19mm bonded washer - maximum thickness 3.5mm		
3752261	5.5 x 25mm 3pt	100
3752266	5.5 x 32mm 3pt	100
3752271	5.5 x 38mm 3pt	100
3752276	5.5 x 50mm 3pt	100
Heavy section 16mm bonded washer - maximum thickness 12.5mm		
3752210	5.5 x 22mm 4pt	100
3752215	5.5 x 32mm 5pt	100
3752220	5.5 x 40mm 5pt	100
3752225	5.5 x 60mm 5pt	100
3752230	5.5 x 80mm 5pt	100
3752235	5.5 x 100mm 5pt	100
Heavy section 19mm bonded washer - maximum thickness 12.5mm		
3752216	5.5 x 32mm 5pt	100
3752221	5.5 x 40mm 5pt	100
3752226	5.5 x 60mm 5pt	100
3752231	5.5 x 80mm 5pt	100
3752236	5.5 x 100mm 5pt	100

- Hexagon washer headed self drilling screws
- Drills and fastens in one operation
- 5/16" hexagonal head (magnetic socket available p4/24)
- Available with 16 and 19mm EDPM bonded washers
- 3mm thick bonding reduces the likelihood of leaks
- High thread screws provide a secure fix through insulation
- CE marked

Washerless steel to steel screws



Product code	Description	Pack quantity
Light section - 3.5mm maximum thickness		
3752290	5.5 x 25mm 3pt	100
3752292	5.5 x 32mm 3pt	100
3752294	5.5 x 38mm 3pt	100
3752296	5.5 x 50mm 3pt	100
Heavy section - 12.5mm maximum thickness		
3752250	5.5 x 22mm 4pt	100
3752252	5.5 x 32mm 5pt	100
3752254	5.5 x 40mm 5pt	100

- CE marked

Fixings

Washerless steel to steel screws



Product code	Description	Pack quantity
Heavy section - 12.5mm maximum thickness		
3752250	5.5 x 22mm 4pt	100
3752252	5.5 x 32mm 5pt	100
3752254	5.5 x 40mm 5pt	100

- CE marked

Reduced point stitching screws



Product code	Description	Pack quantity
3752410	6.3 x 25mm 16mm washer	100
3752411	6.3 x 25mm 19mm washer	100

- Ideal for joining thin metal sheets


Gash point screws



Product code	Description	Pack quantity
3752110	6.3 x 32mm 16mm washer	50
3752111	6.3 x 32mm 19mm washer	50
3752115	6.3 x 45mm 16mm washer	50
3752116	6.3 x 45mm 19mm washer	50

- Ideal for fixing sheet and cladding materials to timber frames, re-roofing, barns etc
- Washers have 3mm bonding, reducing the likelihood of leaks
- 1.5 - 4mm maximum thickness
- CE marked

Timber to steel self drilling screws



Product code	Description	Pack quantity
Light section - 1.5 - 4mm maximum thickness		
3752560	5.5 x 40mm 3pt	100
3752565	5.5 x 60mm 3pt	100
3752570	5.5 x 80mm 3pt	100
3752575	5.5 x 100mm 3pt	100
3752580	5.5 x 110mm 3pt	100
Heavy section - 12mm maximum thickness		
3752510	5.5 x 50mm 5pt	100
3752515	5.5 x 60mm 5pt	100
3752520	5.5 x 70mm 5pt	100
3752525	5.5 x 85mm 5pt	100
3752530	5.5 x 109mm 5pt	100

- Wings ream clearance hole to prevent material jacking
- Ribbed head aids self embedment
- Tight clamping action
- Suitable for fixing mezzanine floors, firelining, chipboard, roof and floor sheets to steelwork
- Automotive coachbuilding bodywork application
- CE marked

Frame fixings - TFF



Product code	Description	Pack quantity
1130110	8 x 80mm	100
1130115	8 x 100mm	100
1130120	8 x 120mm	100
1130155	10 x 80mm	50
1130160	10 x 100mm	50
1130165	10 x 120mm	50
1130170	10 x 140mm	50
1130175	10 x 160mm	50

- For through fixing installations such as doors and window frames, trunking, switches and battens
- Fast installation
- Powerful expansion

Fixings

Hollow wall anchors - TMX™



Product code	Description	Sheet thickness	Screw length	Pack quantity
1260025	4E (409)	5 - 15mm	40mm	100
1260066	4D (423)	16 - 26mm	50mm	50
1260130	5M (510)	6 - 13mm	38mm	50
1260108	5E (514)	3 - 16mm	57mm	50
1260124	5D (527)	12 - 32mm	70mm	50
1260140	6E (614)	3 - 16mm	57mm	50
1260165	6D (627)	23 - 32mm	70mm	50
1265040	Tool			1

- Ideal for overhead cavity fixing
- Available to suit a wide range of plasterboard thicknesses
- Calibrated legs spread the load and give a fully captive fixing
- All metal fire resistant fixing
- Mounting tool for expanding

Hammer fixings - THI



Product code	Description	Pack quantity
1131110	5 x 30mm	100
1131115	5 x 50mm	100
1131130	6 x 35mm	100
1131135	6 x 50mm	100
1131140	6 x 60mm	100
1131145	6 x 70mm	100
1131160	8 x 60mm	100
1131165	8 x 80mm	100
1131170	8 x 100mm	100
1131175	8 x 120mm	100

- Hammer in fixing for fast installation into a wide variety of materials
- Knock-in protection prevents premature expansion during installations
- High load values

Nylon window frame anchors - TNW



Product code	Description	Pack quantity
1501610	8 x 100mm	100
1501615	8 x 140mm	100
1501630	10 x 75mm	100
1501635	10 x 100mm	100
1501640	10 x 120mm	100
1501645	10 x 140mm	100
1501650	10 x 165mm	100

- Suitable for the installation of uPVC, aluminium and wooden window frames and doors
- High grade nylon sleeve and zinc plated screw prevents corrosion
- Complete with cover cap
- GRP expansion wedge

Platti plugs - TPP



Product code	Description	Pack quantity
1200005	10 x M4S	100
1200401	13 x M5S	100
1200443	13 PLUG	1,000
1200203	10 x M4K (hook)	100

- Suitable for a range of plasterboard thicknesses
- A captive fixing - even without screw
- Phillips head screw
- All metal construction
- High load values

Fixings


Duo max - TSP



Product code	Description	Pack quantity
1240001	6 x 50mm	25
1248004	10 x 65mm	25
1249002	10 x 75mm	25

- Suitable for a range of plasterboard thicknesses
- A captive fixing - even without screw
- Corrosion resistant
- High load values

Spring toggles - TOG



Product code	Description	Pack quantity
1208016	10 M3 x 50mm	50
1208057	15 M5 x 50mm	50
1208060	15L M5 x 80mm	50

- Ideal for overhead cavity fixing
- Spreads loads over a wide area
- Easy installation



Index

Reference	PG	Reference	PG	Reference	PG	Reference	PG	Reference	PG
400110	29	1501650	54	2390405	10	3312110	34	3719387	42
400137	29	1511000	49	2390415	10	3312130	34	3719400	42
400286	29	1511003	49	2420100	13	3312140	34	3719417	42
400331	29	1511004	49	2420101	13	3312150	34	3719424	42
400333	29	1511006	49	2420102	13	3312160	34	3719431	42
400444	29	1511009	49	2420103	13	3312180	34	3719455	42
400460	29	1511012	49	2420104	13	3312181	34	3719509	42
400465	29	1511015	49	2420105	13	3312184	34	3719516	42
400470	29	1511018	49	2420106	13	3312186	34	3719523	42
400550	29	1511021	49	2420107	13	3312187	34	3719530	42
400555	29	1511022	49	2420108	13	3312189	34	3719547	42
400940	29	1511024	49	2420110	13	3312191	34	3719554	42
400945	29	1511027	49	2420111	13	3312192	34	3719561	42
400955	29	1511027	49	2420112	13	3312193	34	3719585	42
1001007	12	1511100	49	2420113	13	3312194	34	3736025	42
1003003	12	1511103	49	2420114	13	3312195	34	3736032	42
1005008	12	1511106	49	2420115	13	3312196	34	3736049	42
1060030	12	1511108	49	2420116	13	3312197	34	3736056	42
1060040	12	1511109	49	2420117	13	3312198	34	3736070	42
1060050	12	1511110	49	2420118	13	3312199	34	3736087	42
1060060	12	1511112	49	2420300	13	3312200	34	3736117	42
1060070	12	1511115	49	2420301	13	3312202	34	3736124	42
1060080	12	1511118	49	2420302	13	3312207	34	3736179	42
1090600	12	1511120	49	2420303	13	3312208	34	3736209	42
1090605	12	1511124	49	2420304	13	3312630	34	3736278	42
1090610	12	1511126	49	2423000	13	3313004	34	3736353	42
1090615	12	1511203	49	2423100	13	3313011	34	3736377	42
1090720	12	1511206	49	2424000	13	3314010	34	3736391	42
1090725	12	1511209	49	2424004	13	3314030	34	3736476	42
1130110	53	1511224	49	2424005	13	3314040	34	3736483	42
1130115	53	1511227	49	2700510	15	3314050	34	3736485	42
1130120	53	1511230	49	2700511	15	3314070	34	3736506	42
1130155	53	1511231	49	2700530	15	3314120	34	3736513	42
1130160	53	1511234	49	2700610	15	3314300	34	3736520	42
1130165	53	1775112	37	2700630	15	3314308	34	3736537	42
1130170	53	1776015	12	2700650	15	3314310	34	3736544	42
1130175	53	1776020	12	2700710	15	3314314	34	3736551	42
1131110	54	1776111	12	2703015	15	3314320	34	3736568	42
1131115	54	1776112	12	2704013	15	3701313	47	3737500	42
1131130	54	1776200	12	2705110	15	3701337	47	3737503	42
1131135	54	2001008	5	2705310	15	3701344	47	3737505	45
1131140	54	2011005	5	2705320	15	3701513	47	3737506	45
1131145	54	2011017	5	2705420	15	3701521	47	3737507	45
1131160	54	2011021	5	2810109	48	3701547	47	3737508	45
1131165	54	2022009	5	2810125	48	3701554	47	3739026	47
1131170	54	2022010	5	2810141	48	3701588	47	3739033	47
1131175	54	2022029	5	2810166	48	3701596	47	3739057	47
1200005	54	2032011	5	2810901	48	3701604	47	3739125	47
1200203	54	2032041	5	2810927	48	3701620	47	3739132	47
1200401	54	2032061	5	2810943	48	3701624	47	3739149	47
1200443	54	2032091	5	3000254	15	3701642	47	3739156	47
1208016	55	2041200	5	3000270	15	3701646	47	3739194	47
1208057	55	2041259	5	3000288	15	3701650	47	3739200	47
1208060	55	2042011	5	3000296	15	3701653	47	3739255	47
1220010	43	2042021	5	3000410	15	3701661	47	3739262	47
1220104	43	2042041	5	3000420	15	3701687	47	3739279	47
1240001	55	2052011	5	3000430	15	3703065	50	3739286	47
1248004	55	2052051	5	3000440	15	3703210	10	3739309	47
1249002	55	2053015	20	3000938	15	3703210	50	3739354	47
1501035	48	2053015	20	3000952	20	3703215	10	3739361	47
1501040	48	2060002	5	3000956	20	3703215	50	3739378	47
1501500	48	2060135	5	3000959	20	3703220	50	3739392	47
1501506	48	2070134	5	3000965	20	3703225	50	3739415	47
1501510	48	2070209	5	3000969	20	3703230	50	3739422	47
1501520	48	2101004	5	3000971	20	3703235	50	3740026	45
1501526	48	2106003	5	3280010	10	3703260	50	3740040	45
1501530	48	2111003	5	3280015	10	3703265	50	3740088	45
1501540	48	2111029	5	3280020	10	3703275	50	3740095	45
1501546	48	2116010	5	3280035	10	3703280	50	3740101	45
1501550	48	2116028	5	3280210	10	3719172	42	3740118	45
1501556	48	2126019	5	3280215	10	3719196	42	3740125	45
1501560	48	2126027	5	3280220	10	3719219	42	3740132	45
1501570	48	2131019	5	3280225	10	3719226	42	3740137	45
1501610	54	2131027	5	3310165	37	3719240	42	3740140	45
1501615	54	2136018	5	3310170	37	3719301	42	3740141	45
1501630	54	2136026	5	3310180	37	3719318	42	3740142	45
1501635	54	2137014	5	3311910	34	3719325	42	3740143	45
1501640	54	2141026	5	3312090	34	3719349	42	3740144	45
1501645	54	2146025	5	3312100	34	3719363	42	3740145	45

Index

Reference	PG	Reference	PG	Reference	PG	Reference	PG	Reference	PG
3740146	45	3743220	46	3746651	51	3752565	53	1789028A	31
3740148	45	3743222	46	3746751	51	3752570	53	1789030A	31
3740151	45	3743337	46	3746752	51	3752575	53	1789052A	31
3740152	45	3743344	46	3746770	52	3752580	53	1789054A	31
3740153	45	3743351	46	3746772	52	3790000	50	1789080A	31
3740158	45	3743360	46	3746774	52	3790002	50	1789108A	31
3740179	45	3743365	46	3746782	52	3790004	50	1789116A	31
3740187	45	3743366	46	3746783	52	3790006	50	1789120A	31
3740194	45	3743367	46	3746784	52	3790010	50	1789153A	31
3740197	45	3743368	46	3746786	52	3790014	50	1789165A	31
3740198	45	3743800	46	3746900	52	3790030	50	1789195A	31
3742026	44	3743802	46	3746906	52	3790032	50	1789252A	31
3742033	44	3743804	46	3746908	52	3790034	50	1789272A	31
3742037	44	3743806	46	3747113	43	3790036	50	1789304A	31
3742040	44	3743808	46	3747120	43	3790038	50	1789319A	31
3742057	44	3743810	46	3747137	43	3790040	50	1789323A	31
3742064	44	3743820	46	3747144	43	3790044	50	1789350A	31
3742088	44	3743822	46	3747151	43	3790046	50	1789352A	31
3742095	44	3743824	46	3747168	43	3790048	50	1789410A	31
3742098	44	3743826	46	3747175	43	3790050	50	1789414A	31
3742101	44	3743828	46	3747182	43	3790062	50	1789440A	31
3742118	44	3743830	46	3747199	43	3790064	50	1789450A	31
3742125	44	3743832	46	3747205	43	3790066	50	1789455A	31
3742127	44	3743834	46	3747212	43	3790070	50	1789470A	31
3742132	44	3743836	46	3747717	43	3790074	50	1789481A	31
3742170	44	3743840	46	3747755	43	3790078	50	1789485A	31
3742171	44	3743842	46	3747758	43	3790082	50	1789500A	31
3742187	44	3743844	46	3750050	43	3790086	50	1789510A	31
3742194	44	3743846	46	3750056	43	3790090	50	1789520A	31
3742200	44	3743848	46	3750057	43	3790091	50	1789570A	31
3742209	44	3743850	46	3750058	43	3790092	50	1800032A	32
3742217	44	3743852	46	3750060	43	3790093	50	1800049A	32
3742224	44	3743860	45	3750070	43	3790094	50	1800056A	32
3742231	44	3743861	45	3750080	43	3790204	50	1800063A	32
3742240	44	3743862	45	3750090	43	3790207	50	1800094A	32
3742247	44	3743863	45	3750100	43	3790208	50	1800131A	32
3742255	44	3743864	45	3750110	43	4301010	20	1800216A	32
3742262	44	3743865	50	3752000	33	4301010	20	1800305A	32
3742279	44	3745025	51	3752110	53	4301015	20	1800308A	32
3742280	44	3745032	51	3752111	53	4301015	20	1800309A	32
3742286	44	3745038	51	3752115	53	4301020	20	1800414A	32
3742293	44	3745042	51	3752116	53	4301020	20	1800421A	32
3742309	44	3745045	51	3752210	52	4301040	20	1800438A	32
3742323	44	3745050	51	3752215	52	4301040	20	1800445A	32
3742330	44	3745055	51	3752216	52	4301045	20	1800452A	32
3742347	44	3745060	51	3752220	52	4301045	20	1800456A	32
3742351	44	3745065	51	3752221	52	4304018	20	1800469A	32
3742354	44	3745066	51	3752225	52	4304018	20	1800476A	32
3742361	44	3745075	51	3752226	52	4304019	20	1800483A	32
3742378	44	3745210	51	3752230	52	4304019	20	1800490A	32
3742381	44	3745212	51	3752231	52	4304025	20	1800506A	32
3742385	44	3745214	51	3752235	52	4304025	20	1800513A	32
3742392	44	3745216	51	3752236	52	4304026	20	1800520A	32
3742408	44	3745218	51	3752250	52	4304026	20	1800537A	32
3742415	44	3745223	52	3752250	53	4304032	20	1800544A	32
3742422	44	3745230	51	3752252	52	4304032	20	1800568A	32
3742446	44	3745400	51	3752252	53	4502105	28	1800575A	32
3742453	44	3745405	51	3752254	52	4503107	28	1800582A	32
3742477	44	3746012	51	3752254	53	4510080	28	1800605A	32
3742484	44	3746104	43	3752260	52	4510090	28	1800612A	32
3742491	44	3746105	51	3752261	52	4510092	28	1800629A	32
3742507	44	3746125	51	3752265	52	4510093	28	1800643A	32
3742514	44	3746130	43	3752266	52	4510094	28	1800667A	32
3742521	44	3746132	51	3752270	52	4510095	28	1801130A	33
3743180	46	3746138	51	3752271	52	4510096	28	1801140A	33
3743182	46	3746142	51	3752275	52	05TUB04	12	1801150A	33
3743183	46	3746145	51	3752276	52	05TUB05	12	1801160A	33
3743184	46	3746154	43	3752290	52	08CRIMPKIT	37	1801590A	33
3743185	46	3746155	51	3752292	52	08CS1	37	1801619A	33
3743187	46	3746156	52	3752294	52	08FW20FH	37	1801626A	33
3743188	46	3746160	51	3752296	52	1773106A	31	1801633A	33
3743190	46	3746161	43	3752410	53	1773107A	31	1801640A	33
3743191	46	3746178	43	3752411	53	1788868A	31	1801660A	33
3743192	46	3746192	43	3752510	53	1788926A	31	1801680A	33
3743193	46	3746308	51	3752515	53	1788934A	31	1801810A	33
3743194	46	3746310	51	3752520	53	1788975A	31	1802650A	33
3743195	46	3746314	51	3752525	53	1788989A	31	1806060A	33
3743207	46	3746316	51	3752530	53	1789016A	31	1806070A	33
3743215	46	3746318	51	3752560	53	1789023A	31	1806080A	33

Index

Reference	PG	Reference	PG	Reference	PG	Reference	PG	Reference	PG
21RCK10	20	64LSF32W	11	70CWRC11	8	IMT37308	10	LBW32K	16
2201000A	6	64LSF32W	11	70CWRC12	8	IMT37311	10	LBW40K	16
2201001A	6	64LSF32W	11	70CWRC14	8	IMT37312	10	LBW50K	16
2202000A	6	64LSF32W	11	70CWRC16	8	IMT37314	10	LBW63K	16
2202005A	6	64LSF32W	11	70CWRC275	8	IMT37315	10	LCW20K	16
2202011A	6	64LSF32W	11	70CWRC35	8	IMT37320	10	LCW20SK	16
2203000A	6	64LSF342R	11	70CWRC4	8	IMT38005	48	LCW25K	16
2203002A	6	64LSF342R	11	70CWRC5	8	IMT38006	48	LCW32K	16
2203004A	6	64LSF342R	11	70CWRC6	8	IMT38007	48	LCW40K	16
2203005A	6	64LSF342R	11	70CWRC7	8	IMT38008	48	LCW50K	16
2205000A	6	64LSF342R	11	70CWRC8	8	IMT38009	48	LCW63K	16
2205002A	6	64LSF342R	11	70CWRC9	8	IMT38010	48	M101005	17
2206000A	6	64LSF342R	11	70CWRC10	8	IMT38011	48	M130806	17
2206002A	6	64LSF342R	11	70CWRC11	8	IMT38012	48	M151107	17
2210000A	6	64LSF342R	11	72CB05P	9	IMT38013	48	M181407	17
2211000A	6	64LSF342W	11	72CB06P	9	IMT38014	48	M241808	17
2212000A	6	64LSF342W	11	72CB07P	9	IMT38015	48	MBM15S	17
2213000A	6	64LSF342W	11	72CB07P	9	IMT38016	48	MBM20L	17
2213001A	6	64LSF342W	11	72CB07P	9	IMT38017	48	MBM20S	17
2214000A	6	64LSF342W	11	72CT05P	9	IMT38018	48	MBM25S	17
2214001A	6	64LSF342W	11	72CT06P	9	IMT38019	48	MBM32L	17
2215000A	6	64LSF342W	11	72CT07P	9	IMT38020	48	MBW20K	16
2215001A	6	64LSF342W	11	72CW05P	9	IMT38021	48	MBW20SK	16
25EC365	13	64LSF342W	11	72CW06P	9	IMT38022	48	MBW25K	16
27BN3	13	64LSF342W	11	72CW07P	9	IMT38023	48	MBW25K	16
27BN4	13	64LSF34R	11	77CB04P	9	IMT38024	48	MBW32K	16
27BU3	13	64LSF34R	11	77CB05P	9	IMT38025	48	MBW40K	16
27BU4	13	64LSF34R	11	77CB06P	9	IMT38026	48	MBW50K	16
27GY2	13	64LSF34W	11	77CB07P	9	IMT38026	48	MBW63K	16
27GY3	13	64LSF34W	11	77CB09P	9	IMT38065	37	MCW20K	17
27GY4	13	64LSF34W	11	77CB12PAC	9	IMT46026	14	MCW20SK	17
27GY5	13	64LSF37R	11	77CB15PAC	9	IMT46033	14	MCW25K	17
27GY6	13	64LSF37R	11	77CB19P	9	IMT46064	14	MCW32K	17
3310105A	33	64LSF37R	11	77CB25P	9	IMT46071	14	MCW40K	17
3310110A	33	64LSF37R	11	77CGPF10P	9	IMT46101	14	MCW50K	17
3310210A	33	64LSF37W	11	77CGPF1P	9	IMT46118	14	MCW63K	17
3BW20K	16	64LSF37W	11	77CGPF25P	9	IMT46149	14	MJ2	19
3BW20SK	16	64LSF37W	11	77CGPF4P	9	IMT46156	14	ML10B	18
3BW25K	16	64LSF37W	11	77CR06P	9	IMT46248	14	ML16B	18
3BW32K	16	64LSF37W	11	77CR07P	9	IMT46286	14	ML16W	18
3BW40K	16	64LSF37W	11	77CR09P	9	IMT46293	14	ML20B	18
3BW50K	16	64LSF40R	11	77CW04P	9	IMT46918	14	ML20R	18
3BW63K	16	64LSF40R	11	77CW05P	9	IMT46919	14	ML20W	18
55CTP640B100	14	64LSF40W	11	77CW06P	9	IMT46968	14	ML25B	18
55PP1	9	64LSF40W	11	77CW07P	9	IMT46969	14	ML25R	18
64LSF26R	11	64LSF43R	11	77CW09P	9	IMT46970	14	ML25W	18
64LSF26W	11	64LSF43R	11	77CW15P	9	IMT48000	12	MP10B	18
64LSF26W	11	64LSF43W	11	77CW19P	9	IMT48001	12	MP16B	18
64LSF272R	11	64LSF43W	11	77CW25P	9	IMT70000	37	MP16DB	18
64LSF272R	11	64LSF43W	11	78PCW10AC	20	IMT70001	37	MP16DW	18
64LSF272W	11	65CT05B	6	78PCW10AC	20	IMT70002	37	MP16W	18
64LSF272W	11	65CT10B	6	IMT23024	24	IMT70003	37	MP202B	18
64LSF28R	11	65SA04W	6	IMT23025	24	ISM99930	10	MP202DB	18
64LSF28R	11	65SA08W	6	IMT23026	24	ISM99940	10	MP202DR	18
64LSF28R	11	65SA12W	6	IMT23027	24	ISM99950	10	MP202DW	18
64LSF28W	11	70CBRC10	8	IMT23028	24	JJL15W	29	MP202R	18
64LSF28W	11	70CBRC11	8	IMT23029	24	JJL210W	29	MP20B	18
64LSF28W	11	70CBRC12	8	IMT23030	24	JJL410WRCD	29	MP20DB	18
64LSF28W	11	70CBRC14	8	IMT23031	24	JJL41W	29	MP20DR	18
64LSF302R	11	70CBRC16	8	IMT23032	24	JJL42W	29	MP20DW	18
64LSF302R	11	70CBRC4	8	IMT23033	24	JJL42WHDC	29	MP20R	18
64LSF302R	11	70CBRC5	8	IMT23034	24	JJL42WHDC4	29	MP20W	18
64LSF302R	11	70CBRC6	8	IMT23035	24	JJL42WSSC	29	MP252W	18
64LSF302R	11	70CBRC7	8	IMT23036	24	JJL43W	29	MP25B	18
64LSF30R	11	70CBRC8	8	IMT230392	28	JJL45W	29	MP25DB	18
64LSF30R	11	70CBRC9	8	IMT33093	28	JJL45WHDC	29	MP25DW	18
64LSF30R	11	70CG3CE	8	IMT33097	28	JJL45WHDC4	29	MP25R	18
64LSF30W	11	70CGDKF15	8	IMT33098	28	JJL62WHDC	29	MP25W	18
64LSF30W	11	70CGDKF25	8	IMT33104	28	JJL62WSSC	29	MP32DB	18
64LSF30W	11	70CGKF10	8	IMT33105	28	JJR22516	28	MP32DW	18
64LSF30W	11	70CGKF100	8	IMT33111	28	JJR41010	28	MPL202B	18
64LSF32R	11	70CGKF25	8	IMT33112	28	JJR41013	28	MPL20B	18
64LSF32R	11	70CGKF40	8	IMT36179	10	JJR41510	28	MPL20W	18
64LSF32R	11	70CGKF60	8	IMT36180	10	JJR42513	28	MS10	19
64LSF32R	11	70CWPM	8	IMT37300	10	JJR43013RCD	28	MS11	19
64LSF32R	11	70CWPT	8	IMT37303	10	JJR45013	28	MS12	19
64LSF32R	11	70CWRC10	8	IMT37304	10	JJR4513	28	MS14	19
64LSF32W	11	70CWRC11	8	IMT37307	10	LBW20K	16	MS16	19
						LBW20SK	16	MS18	19
						LBW25K	16	MS20	19

Index

Reference	PG	Reference	PG	Reference	PG	Reference	PG	Reference	PG
MS3	19								
MS4	19								
MS5	19								
MS6	19								
MS7	19								
MS8	19								
MS9	19								
MT10	19								
MT11	19								
MT12	19								
MT14	19								
MT15	19								
MT9	19								
SH20	17								
SH20S	17								
SH25	17								
SH32	17								

Notes





Get the support you need...
When you need it!

Our Customer Care app provides 24/7, immediate access to technical and support information;

- > Browse FAQs for instant answers
- > Search product references and download datasheets
- > Register your product for additional benefits
- > Browse MySE for delivery and price updates *

Connect to Schneider Electric

If you cannot find what you need, you can also access phone or email support directly via the Customer Care App.



**Download the app today,
Search 'Schneider Care' on your app store**



Life Is On

Schneider
Electric

*Registered MySE account holders only

Schneider Electric is the global specialist in energy management and automation. With revenues of €25 billion in FY2014, our 170,000 employees serve customers in over 100 countries, helping them to manage their energy and process in ways that are safe, reliable, efficient and sustainable. From the simplest of switches to complex operational systems, our technology, software and services improve the way our customers manage and automate their operations. Our connected technologies will reshape industries, transform cities and enrich lives.

At Schneider Electric, we call this Life Is On.

Schneider Electric

United Kingdom
Stafford Park 5,
Telford
Shropshire
TF3 3BL
Tel: 0870 608 8 608
Fax: 0870 608 8 606

Ireland
Head office, Block A
Maynooth Business Campus
Maynooth, Co. Kildare
W23 Y7X0
Tel: 1 800 805 800
Fax: (01) 601 2201

www.schneider-electric.co.uk

www.schneider-electric.com/ie

May, 2016
SE9416

©2016 Schneider Electric. All Rights Reserved.

All trademarks are owned by Schneider Electric Industries SAS or its affiliated companies.

This document has been
printed on recycled paper

