



# APP RESTART WIFI

D

## APP Restart WiFi



Per procedere con la configurazione tramite l'applicazione Restart Wifi consultare il foglio istruzioni di configurazione al link di seguito

*To perform the configuration via the Restart Wifi application, refer to the configuration instruction sheet at the link below*

Pour procéder à la configuration à l'aide de l'application Restart Wifi, consulter le feuillet d'instructions de la configuration au lien suivant

*Para continuar con la configuración utilizando la aplicación Restart Wifi, consultar la hoja de instrucciones de configuración en el siguiente enlace*


Zum Fortsetzen mit der Konfiguration über die App Restart Wifi wird auf die Konfigurationsanleitung verwiesen, die unter folgendem Link abrufbar ist



Configuration  
Use



<http://q.gewiss.com/GWD0953>



**F**

**E' possibile migliorare la continuità di comunicazione dei dati alimentando il router con un piccolo UPS.**

*Data communication continuity can be improved by powering the router with a small UPS.*

On pourra améliorer la continuité de la communication des données en alimentant le routeur avec un petit UPS (ASI).

*Es posible mejorar la continuidad de la comunicación de los datos alimentando el enrutador con un UPS pequeño.*

Die Kommunikationsdurchgängigkeit der Daten kann verbessert werden, indem man den Router durch eine kleine USV schützt

Punto di contatto indicato in adempimento ai fini delle direttive e regolamenti UE applicabili:  
 Contact details according to the relevant European Directives and Regulations:

GEWISS S.p.A. Via A.Volta, 1 IT-24069 Cenate Sotto (BG) Italy Tel: +39 035 946 111 E-mail: [qualitymarks@gewiss.com](mailto:qualitymarks@gewiss.com)



+39 035 946 111  
 8.30 - 12.30 / 14.00 - 18.00  
 lunedì + venerdì - monday + friday



+39 035 946 260



[sat@gewiss.com](mailto:sat@gewiss.com)  
[www.gewiss.com](http://www.gewiss.com)