Lighting

PHILIPS



Corepro Glass High Lumen bulbs

CorePro LEDBulbND 200W E27 A95 827 FR G

Featuring a classic heritage design, these filament CorePro LED bulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long-lasting LED technology. A very easy choice for people who are looking for a retrofit LED replacement, these high lumen LED bulbs provide 90% energy savings compared with conventional light bulbs. CorePro LED High Lumen bulbs provide excellent quality of light. Energy-saving LED lighting that offers a lifetime of 15,000 hours to reduce maintenance costs.

Product data

General Information	
Cap-Base	E27
Nominal lifetime	15,000 hour(s)
Switching Cycle	20,000
Lighting Technology	LED
Flux measurement reference	Sphere
Light Technical	
Color Code	827 [CCT of 2700K]
Beam Angle (Nom)	300 degree(s)
Luminous Flux	3,452 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	150.00 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Photobiological safety according to EN 62471	RG1
Photobiological safety according to EN 62471	RGI
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	23 W
Lamp Current (Nom)	200 mA
Wattage Equivalent	200 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.51
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	55 °C


A ↑ G

Corepro Glass High Lumen bulbs

Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Frosted
Bulb Shape	A95
Net Weight (Piece)	0.086 kg
Approval and Application	
Energy Efficiency Class	D
Energy Consumption kWh/1000 h	23 kWh
EPREL Registration Number	374908
CE mark	Yes
EU RoHS compliant	Yes
EyeComfort	Yes
Flickering value (PstLM) - Flickering value as	1
per EN 61000-3-3	
Stroboscopic effect visibility measure (SVM)	0.4


Application Conditions		
can it be used in closed luminaires	No	
Product Data		
Order product name	CorePro LEDBulbND 200W E27 A95	
	827 FR G	
Full product name	CorePro LEDBulbND 200W E27 A95	
	827 FR G	
Full product code	871951434667300	
Order code	929002372902	
Material Nr. (12NC)	929002372902	
Numerator - Quantity Per Pack	1	
EAN/UPC - Product/Case	8719514346673	
Numerator - Packs per outer box	6	
EAN/UPC - Case	8719514346680	

Dimensional drawing





Product	D	с
CorePro LEDBulbND 200W E27 A95 827 FR G	95 mm	165 mm

Photometric data











Corepro Glass High Lumen bulbs

Photometric data



General uniform lighting - CorePro LEDBulbND 200W E27 A95 827 FR G

Lifetime



Life Expectancy Diagram

9 100 9 0 9 0 8 0 7 0 6 0 5 0 0 1000 2000 3000 40000 Burning hours

Lumen Maintenance Diagram - CorePro LEDBulbND 200W E27 A95 827 FR G



© 2025 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.