


PRODUCT DATASHEET

Vintage 1906 PenduLum Black

Vintage 1906® PenduLum | Indoor pendant luminaires, vintage style, E27 socket



Areas of application

- Living areas (living rooms, dining rooms, bedrooms etc.)
- Professional (hotels, bars, boutiques etc.)

Product benefits

- Flexible lighting thanks to countless mounting possibilities
- Made of solid aluminum with high-quality appearance
- Semi-matt surface with great look and feel
- Accessories for flexible mounting options included

Product features

- Reduced industrial design
- Made of classic materials
- Special vintage appeal when combined with 1906 lamps
- Flexible mounting options: leash principle
- Available in various colors
- 2 m textile cable




TECHNICAL DATA

Electrical data

Nominal voltage	220...240 V
Mains frequency	50...60 Hz
Protection class	I

Dimensions & Weight

Diameter	68.00 mm
Length	84.00 mm
Height	84.00 mm
Product weight	481.00 g
Cable length	2000 mm



707561_Vintage 1906 PenduLum

Materials & Colors

Product color	Black
Housing color	Black
Body material	Aluminum

Application & Mounting

Ambient temperature range	-20...+40 °C
Type of connection	Screw terminal
Type of protection	IP20
Dimmable	No
Mounting type	Surface
Mounting location	Ceiling

Application environment	Indoor
With light source	No
Holder designation	E27

Certificates & Standards

Standards	CE
Luminaire with limited surface temperature, "D sign"	No



Additional product data

Product remark	Maximum bulb wattage: 60 W
Number of illuminants	1

Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- Product in protection class I. All electrically conductive, metallic housing parts that can absorb voltage during operation or during maintenance in the event of a fault must be continuously connected to the protective earthing conductor.
- To reduce the risk of strangulation the flexible wiring connected to this luminaire shall be effectively fixed to the wall if the wiring is within arm's reach.
- Check wall-ceiling for suitability. If uncertain, seek professional advice.

DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	1906 PENDULUM
	Declarations of conformity	CE Declaration 1906 Vintage

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075227996	Folding box 1	140 mm x 140 mm x 213 mm	627.00 g	4.17 dm ³
4058075228009	Shipping box 4	291 mm x 291 mm x 228 mm	2764.00 g	19.31 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

– Further information at www.ledvance.com/consumer/products/product-stories/vintage-edition-1906

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.