

PRODUCT-DETAILS

DDA204 A-63/1 DDA204 A-63/1 Residual Current Device Block



General Information	
Extended Product Type	DDA204 A-63/1
Product ID	2CSB204101R5630
EAN	8012542799207
Catalog Description	DDA204 A-63/1 Residual Current Device Block
Long Description	The RCD block DDA200 series is suitable for assembly with MCBs S200 series and S300P. It assures protection against the effects of sinusoidal alternating and direct pulsating earth fault currents, protection, against indirects contacts and additional protection against direct (with sensitivity = 30 mA) contacts. Applications: residential, commercial, industrial.

Technical		
Standards	IEC/EN 61009 Ann. G	
Type of Residual Current	A type	
Rated Voltage (U _r)	230/400 V	
Rated Operational Voltage	230/400 V	
Rated Insulation Voltage (U _i)	500 V	
Rated Impulse Withstand Voltage (U _{imp})	4 kV	
Rated Current (I _n)	63 A	
Rated Residual Current	1000 mA	
Leakage Current Type	A	

DDA204 A-63/1 2

Detect Fraguency (f)	EO 6011-
Rated Frequency (f) Power Loss	50 60 Hz 7.6 W
Power Loss Power Supply Connection	Arbitrary
Electrical Endurance	10000 cycle
Number of Poles	4
Operating Characteristic	Instantaneous
Options Provided	-
Connecting Capacity	Rigid 25 25 mm²
	Flexible 25 25 mm²
Environmental	
Ambient Temperature	-2555 °C
Ambient Temperature Ambient Air Temperature	Operation -2555 °C
Degree of Protection	IP2X
Resistance to Vibrations	0.1 mm or 1 g - 20 cycles at 51505 Hz
acc. to IEC 60068-2-6	0.1 mill of 1 g - 20 cycles at 6100 112
Resistance to Shock acc. to IEC 60068-2-27	25g 2 shocks 13 ms
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Information	9AKK106713A5614
REACH Declaration	9AKK108467A9482
Environmental Information	Refer to RoHS
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Technical UL/CSA	
	11 A
Short-Circuit Current Rating (SCCR)	11 A
Dimensions	
Differisions	
Product Net Width	140 mm
Product Net Height	93 mm
Product Net Depth / Length	76 mm
Product Net Weight	0.311 kg
Ordoring	
Ordering	
Minimum Order Quantity	1 piece
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.368 kg
Certificates and Declarations	
Declaration of Conformity - CE	9AKK106713A5614

DDA204 A-63/1 3

Installation	
Instructions and Manuals	9AKK108467A7091
Popular Downloads	
Data Sheet, Technical Information	9AKK107991A8329

Classifications		
ETIM 8	EC002297 - Residual current circuit breaker (RCCB) module	
ETIM 9	EC002297 - Residual current circuit breaker (RCCB) module	
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
WEEE B2C / B2B	Business To Consumer	
CN8	85363030	
eClass	V11.0: 27142210	
Object Classification Code	F	

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Residual Current Devices RCDs → Residual Current Devices RCD Blocks







