

# PRODUCT DATASHEET CLAS A FR 60 W 230 V B22D

CLASSIC A | Incandescent lamps, classic bulb shape



#### Areas of application

- Domestic applications
- Shops, hotels and restaurants
- Meeting rooms
- Shopping centers
- Luminaires with E27 or B22d holders (screw or bajonet holders)

### **Product benefits**

- Brilliant light (CL clear version)
- Reduced glare and softened shadows (FR frosted version)

#### **Product features**

- Non-oxidizing aluminum base

# **TECHNICAL DATA**

### **Electrical data**

Nominal wattage	60 W
Construction wattage	60.00 W
Nominal voltage	230 V

# Photometrical data

Luminous flux	710 lm
Luminous efficacy	11 lm/W
Color temperature	2700 K
Color rendering index Ra	100
Light color	1027

# Light technical data

St	arting time	0 s

# **Dimensions & Weight**

Overall length	101.00 mm
Diameter	60,0 mm
Product weight	30.00 g

# Additional product data

Base (standard designation)	B22d	
Mercury-free	Yes	
Design / version	Frosted	
Product remark	Banned from 1.9.2009 as per EU phase-out plan	

# Capabilities

Dimmable	Yes
----------	-----

# Country-specific categorizations

ILCOS	IAA/F-60-230-B22D-60
Order reference	CLAS A FR 60W 2

# Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	B22d
Length	104.00 mm
Height	60,0 mm
Width	60,0 mm

### **LOGISTICAL DATA**

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4050300060200	Folding box 1	97 mm x 56 mm x 56 mm	34.50 g	0.30 dm³
4050300200514	Bundle 10	280 mm x 97 mm x 112 mm	419.00 g	3.04 dm <sup>3</sup>
4050300200521	Shipping box 100	570 mm x 207 mm x 294 mm	4560.00 g	34.69 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.